

00-010-21210

Agud - 25575
Prop - 15055
Pool - 78580

poole

2810280-0
2810281-W
2810282-9

Oxford®

✱ ESSELTE

MADE IN U.S.A.

NO. R753 1/3

• •

• •

4-28-93

Long Spacing Sonic
1202' - 8667'

Comp. Neutron

100' - 8645'

Dual later.

1202' - 8677'

- From Tops

- SA-330
- Glor - 1645
- Abc - 3725
- WC - 4860
- Cisco - 6142
- Canyon 7145
- STRAWN 7732
- Atoka 8125
- MISS 8532
- Morrow 8355

- Pts

6232-6464
7925-8100
8427-8428

- casing
- 20" - 402'
- 9 5/8" - 1202'
- 8 1/2" - 8686

- CIBP has been set
@ 8400' w 35 SX
cmt. on top.

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-27200 **27210**

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
VB-212

7. Lease Name or Unit Agreement Name
Rancherita AHM State Com

8. Well No.
1

9. Pool name or Wildcat
North Hoag Tank Strawn Gas

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3762' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator
YATES PETROLEUM CORPORATION

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Well Location
Unit Letter N : 660 Feet From The South Line and 1980 Feet From The West Line
Section 8 Township 19S Range 24E NMPM Eddy County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

Post ID-2
7-21-95
P4A

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6-21-95 - Moved in and rigged up pulling unit. Nippled up to 8400'±. POOH with packer, RBP and tubing. Rigged up wireline. TIH with tubing and tag RBP at 8400'±. POOH with packer, RBP and tubing. Rigged up wireline. TIH with CIBP and set at 7875'. Rigged down wireline. TIH with tubing and tagged CIBP at 7875'. Spot 43 bbls plug mud from 7875-6180'. Mixed and pumped 15 sacks Class C cement from 7875-7775' (in 5-1/2" casing). POOH with tubing. Rigged up wireline. TIH w/5-1/2" CIBP and set at 6180'. Rigged down wireline. NOTE: Mike Stubblefield w/OCD - Artesia witnessed plugs.

6-22-95 - TIH with tubing and tagged CIBP at 6180'. Spot 147 bbls plug mud from 6180' to surface. Mixed and pumped 15 sacks Class C cement from 6180-6080' (in 5-1/2" casing). POOH with tubing to 3775'. Mix and pump 25 sacks Class C cement from 3775-3575' (in 5-1/2" casing). POOH with tubing to 1250'. Mix and pump 25 sacks Class C 2% CaCl2 from 1250-1050' (in 5-1/2" casing). POOH with tubing. WOC 3 hours. TIH with tubing and tag top of cement at 1050'. POOH with tubing to 50'. Mix and pump 10 sacks Class C cement from 50' to surface. POOH w/tubing. ND BOP. Cleaned location. Installed regulation abandonment marker. PLUGGED AND ABANDONED - FINAL REPORT. Plugging completed 6-21-95.

SIGNATURE Rusty Klein TITLE Production Clerk DATE June 27, 1995

TYPE OR PRINT NAME Rusty Klein TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY [Signature]

TITLE [Signature]

DATE 3/2/2000

CONDITIONS OF APPROVAL, IF ANY: