

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

FEB - 8 1994

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

| |
|---|
| WELL API NO. |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name PARKWAY STATE 'B' |
| 8. Well No. # 2 |
| 9. Pool name or Wildcat TURKEY TRACK SR-G-G-SP |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator
MERIDIAN OIL INC. *Southland Roy. Co.*

3. Address of Operator
P.O. Box 51810, Midland, TX 79710-1810

4. Well Location
Unit Letter *A* : 330' Feet From The NORTH Line and 660' Feet From The EAST Line

Section 15

Township 19S

Range 29E

NMPM EDDY

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: SQZ SEVEN RIVERS PERFS. ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- MIRU PU. ND WH. NU BOP. POOH W/RODS AND PMP. POOH W/TBG.
- RIH W/BIT AND SCRAPER FOR 4 1/2 CSG ON TBG TO 1800. POOH
- RIH W/CIBP FOR 4 1/2 CSG ON TBG. SET CIBP AT +\ -1750. POOH.
- RU CMT CO. RIH W/CMT RETAINER ON TBG. SET CMT RETAINER AT 1620. PRESSURE UP BACKSIDE TO 500# TO TEST RETAINER. SQZ PERFS 1624' - 1688' W/100 SXS OF CLASS 'C' CMT 1 2% CACL2. STING OUT OF CMT RETAINER. POOH W/TBG. RDMO CMT. CO.
- RIH W/BIT FOR CSG ON TBG. DRILL OUT CMT RET. AND CMT TO 1690 W/2% KCL. PRESSURE TEST SQZ PERS TO 500# FOR 15 MINS. CONTINUE DRLG OUT CMT AND CIBP. CLEAN OUT WELLBORE TO PBTD. POOH
- RIH W/PRODUCTION STRING.
- NU WH. RIH W/RODS AND PMP. RETURN TO PRODUCTION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Donna Williams* TITLE PRODUCTION ASSISTANT DATE 2/7/94
TYPE OR PRINT NAME DONNA WILLIAMS TELEPHONE NO. 915-688-6943

(This space for State Use)

SUPERVISOR, DISTRICT II

APPROVED BY _____ TITLE _____ DATE FEB 15 1994

CONDITIONS OF APPROVAL, IF ANY:

MERIDIAN OIL

FIELD: Turkey Track


LEASE: Parkway State "B" WELL NO. 2

LOCATION: 330' FNL & 660' FEL; SEC. 15, T-19-S, R-29-E

Eddy County, New Mexico

DATE SPUD: 04/30/93 COMP: 05/15/93

ELEVATION: 3,343' G.L. / 3,354' K.B.



8 5/8", 28# @ 378'
K-65, BTC
CEMENT W/ 350 ex "C"
TOC: SURFACE (Not Circ.)
200 ex in @ Surface

TUBING STRING:
±73 JTS, (2,250') 2 3/8", 4.7#, J-55

SEVEN RIVERS PERFS:
1,624'-1,634'
1,639'-1,661'
1,668'-1,688'

QUEEN PERFS:
2,263' - 2,317'
4 JSPF, (216 HOLES)

4 1/2", 11.6# @ 2,455'
K-65, LTC
Lead w/ 420 ex "C" Lite
Tail w/ 330 ex "C"
Circ 75 ex
TOC @ SURFACE

EXISTING CONFIGURATION

TD: 2,455'
PBD: 2,404'

MERIDIAN OIL

FIELD: Turkey Track


DATE SPUD: 04/30/93 COMP: 05/15/93

LEASE: Parkway State "B" WELL NO. 2

ELEVATION: 3,343' G.L. / 3,354' K.B.

LOCATION: 330' FNL & 660' FEL; SEC. 15, T-19-S, R-29-E

Eddy County, New Mexico



8 5/8", 28# @ 378"
K-55, BTC
CEMENT W/ 350 sx "C"
TOC: SURFACE (Not Circ.)
200 sx in @ Surface

TUBING STRING:
±72 JTS, (2,250') 2 3/8", 4.7#, J-55

SEVEN RIVERS PERFS:
1,624'-1,634'
1,639'-1,661'
1,668'-1,688'
SQZD W/ 100 SX CLASS "C"

QUEEN PERFS:
2,263' - 2,317'
4 JSPF, (216 HOLES)

4 1/2", 11.8# @ 2,455'
K-55, LTC
Lead w/ 420 sx "C" Lts
Tail w/ 330 sx "C"
Circ 75 sx
TOC @ SURFACE

PROPOSED CONFIGURATION

TD: 2,455'
PBD: 2,404'