Submit 3 Copies o Appropriate District Office

State of New Mexico Energy, Ainerals and Natural Resources Department

Form C	-103
Revised	1-1-89

Form C-103	
Revised 1-1-89	

DIS	RIC	L			
P.O.	Box	1980,	Hobbs,	NM	88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210 OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico, 87504-2088

OCT 2 5 1993

30-015-27633 5. Indicate Type of Lease FEE X STATE 6. State Oil & Gas Lease No.

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 SUNDRY NOTICES AND REPORTS ON WEST

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

OTHER

7. Lease Name or Unit Agreement Name

Patriot AIZ Com

Eddy

WELL X 2. Name of Operator YATES PETROLEUM CORPORATION

WELL

Address of Operator 88210 105 South 4th St., Artesia, NM

(505) 748-1471

9. Pool name or Wildcat North Dagger Draw Upper Penn

4. Well Location

11.

OTHER:

Type of Well:

_ : ____760 ___ Feet From The

Line and _

East Feet From The _

Line

Х

County

Section 20

PULL OR ALTER CASING

19S Range Township 10. Elevation (Show whether DF, RKB, RT, GR, etc.)

South

3513' GR

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

8. Well No.

3

NMPM

WELL API NO.

NOTICE OF INTENTION TO:

PLUG AND ABANDON

SUBSEQUENT REPORT OF: ALTERING CASING

PERFORM REMEDIAL WORK *TEMPORARILY ABANDON*

CHANGE PLANS

COMMENCE DRILLING OPNS.

REMEDIAL WORK

PLUG AND ABANDONMENT

CASING TEST AND CEMENT JOB

660

Perforate & Treat OTHER:

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

10-18-93. Drilled DV tool at 5611'. Tested to 2000 psi. Tagged PBTD at 8260'. Perforated 7804-7808' w/10 - .50" holes (2 SPF). Acidized perforations 7804-7808' w/1000 gals 20% NEFE Swabbed back.

10-19-93. Perforated 7761-7769' w/10 - .50" holes (2 SPF) as follows: 7761, 63, 65, 67 and 7769'. Perforated 7710-7714' w/10 - .50" holes (2 SPF) as follows; 7710, 11, 12, 13 and 7714'. 10-21-93. Acidized perforations 7761-7769' w/8000 gals 20% NEFE gelled acid. Acidized perforations 7710-7714' w/3000 gals 20% NEFE gelled acid.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Production Supervisor

DATE -

TYPE OR PRINT NAME

APPROVED BY-

Juanita Goodlett

TELEPHONE NO.505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY MIKE WILLIAMS

SUPERVISOR DI<u>STRICT !</u>!

NOV 1 8 1993

CONDITIONS OF APPROVAL, IF ANY: