

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED  
DEC 13 10 07 AM '94

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

NM-0428657

6. If Indian, Alibates or Tribe Name

7. If Utah or CA, Agreement Designation

8. Well Name and No.

ARCO FEDERAL NO. 2

9. API Well No.

10. Field and Pool or Exploratory Area

OLD MILLMAN RANCH  
(BONE SPRING)

11. County or Parish, State

EDDY, NM

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

PARKER & PARSELEY DEVELOPMENT CO.

3. Address and Telephone No.

P. O. BOX 3178 MIDLAND, TEXAS 79702

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

(SURF) 1010 FSL & 1980' FWL

(BHL) 534.15' FSL & 2038.64' FWL

UNIT N, Sec. 34, T19S, R28E

TD @ 6522', TVD 6464.87'

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other NEW DRILLING WELL  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CONT'd:

10-27-94 Logging @ 6522' TD. Svy depth 6480.00'. 10 3/4° inclination.  
Az 170.00° TVD 6423.60' LAT -468.14' DEP 57.28'. Extrapolated  
to 6522' MTD. 10 3/4° inclination Az 170.00° TVD 6464.87'  
LAT.-475.85' DEP.58.64'.

Production Csg Detail:

1 - Float Shoe	2.55'
1 jt 5 1/2" 15.5# J-55 LTC Csg	39.25'
6477.75' 1 - Float Collar	2.45'
147 jts - 5 1/2" 15.5# J-55 LTC Csg	6487.87'
Total Length	6532.12'
Distance to RKB	-10.12'
5 1/2" csg landed @	6522.10'

Cont'd on next page

Page 2 of 3

14. I hereby certify that the foregoing is true and correct

Signed Michael P. [Signature] Title Sr. Staff Engineer Date 12-15-94

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any: