

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

NM OLD FORM APPROVED
Drawer 308
Artesia, NM 88210

95F

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

RECEIVED

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Otherb. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESV. ☐ Other

2. NAME OF OPERATOR

DEVON ENERGY CORPORATION (NEVADA)

3. ADDRESS AND TELEPHONE NO.

20 N. BROADWAY, SUITE 1500, OKC, OK 73102-8260 (405) 235-3611

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 990' FSL & 990' FWL

At top prod. interval reported below (SAME)

At total depth (SAME)

5. LEASE DESIGNATION AND SERIAL NO.
NM101906. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A7. UNIT AGREEMENT NAME
14-08-001-11572 East Shugart Unit8. FARM OR LEASE NAME, WELL NO.
East Shugart Unit #719. API WELL NO.
30-015-2821110. FIELD AND POOL, OR WILDCAT
Shugart (Y-7R-Q-G)11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Unit M
Section 35-T18S-R31E

14. PERMIT NO.

DATE ISSUED

11/15/95

12. COUNTY OR PARISH

Eddy

13. STATE

NM

15. DATE SPUDDED 1/9/95 16. DATE T.D. REACHED 1/16/95 17. DATE COMPL. (Ready to prod.) 3/31/95 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* GL 3622'

20. TOTAL DEPTH, MD & TVD 4055' 21. PLUG, BACK T.D., MD & TVD 3987' 22. IF MULTIPLE COMPL., HOW MANY* N/A 23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* 3152-3255' Seven Rivers and 3344-3886' Queen 25. WAS DIRECTIONAL SURVEY MADE NO

26. TYPE ELECTRIC AND OTHER LOGS RUN DLL/MLL/GR/C and ZNL/CN/GR/C 27. WAS WELL CORED NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8 5/8" J-55	24#	947'	12 1/4"	surface; 300 sx Lite + 200 sx Cl C	
5 1/2" J-55	15.5#	4050'	7 7/8"	surface; 658 sx Lite + 580 sx Cl C	

29. LINER RECORD 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	3953'	

31. PERFORATION RECORD (Interval, size and number)

3152-3255' w/17 holes (.40" EHD) 7R
3344-3358' w/15 holes (.40" EHD) UQ1
3416-3471' w/16 holes (.40" EHD) UQ2
3806-3810' w/5 holes (.40" EHD) LQ2
3862-3866' w/5 holes (.40" EHD) LQ3
3882-3886' w/5 holes (.40" EHD) LQ4

32. ACID SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3152-3255'	1500 gals 15% NeFe acid + 32 BS
	15,000 gals X-link gel + 52,000# 20/40 Ottawa sd +
	8000# 20/40 RC sd
	(Continued on reverse)

33.* DIST PRODUCTION

DATE FIRST PRODUCTION 4/2/95 PRODUCTIONS METHOD 1 (Flowing, gas lift, pumping—size and type of pump) 2 1/2" x 2" x 16' RWBC pump WELL STATUS (Producing or shut-in) Prdg

DATE OF TEST 4/12/95 HOURS TESTED 24 CHOKE SIZE N/A PROD'N FOR TEST PERIOD OIL-BBL. 33 GAS-MCF. 11 WATER-BBL. 376 GAS-OIL RATIO 333/1

FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL-BBL. 33 GAS-MCF. 11 WATER-BBL. 376 OIL GRAVITY-API (CORR.) 34

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) sold TEST WITNESSED BY Danny Hokett

35. LIST OF ATTACHMENTS Logs and inclination report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED E. L. Buttross, Jr. E. L. BUTTROSS, JR. TITLE DISTRICT ENGINEER DATE April 18, 1995

*(See Instructions and Spaces for Additional Data on Reverse Side)

WELL NAME & NUMBER East Shugart Unit #71

LOCATION Section 3, T19S, R31E, Eddy County
(Give Unit, Section, Township and Range)

OPERATOR Devon Energy Corp. (Nevada)

DRILLING CONTRACTOR J.S.M. Drilling Co.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results;

Degrees @ Depth

.25 @ 280

.50 @ 500

1.00 @ 950

1.00 @ 1450

2.00 @ 1950

3.25 @ 2427

2.00 @ 2646

3.00 @ 2899

2.00 @ 3272

1.50 @ 3519

1.25 @ 4050

Degrees @ Depth

Degrees @ Depth

DRILLING CONTRACTOR J.S.M. Drilling Company

BY: Jim A. James, Jim A. James

Subscribed and sworn to before me this 23rd day of January, 19 95

My Commission Expires



Terri Hammick
Notary Public

Ector County Texas