

Submit 3 Copies

to Appropriate

District Office

DISTRICT I

P. O. Box 1980, Hobbs, NM 88240

DISTRICT II

811 S. 1st Street, Artesia, NM 88210-2834

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

OIL CONSERVATION DIVISION

P. O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-015-28820

5. Indicate Type of Lease

State ☒ Fee ☐

6. State Oil & Gas Lease No.

001789

7. Lease Name or Unit Agreement Name

Merchant State

8. Well No

3

9. Pool Name or Wildcat

Millman; (QU-GB-SA), East

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well

Oil Well ☒

Gas Well ☐

Other ☐

2. Name of Operator

Bass Enterprises Production Company

3. Address of Operator

P. O. Box 2760 Midland, Texas 79702-2760

4. Well Location

Unit Letter 2 : 990' Feet From The North Line and 1980' Feet From The East Line

Section 1 Township 19S Range 28E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3385.2' GL, 3395' DF, 3396' KB

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Add Perfs & Frac ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Set CIBP @ 2270' and dump bail 20' cement on top. 1/20/97

RIH w/ 1st 4" casing gun loaded with 1 JSPF and 19 gram charges @ 180 degree phasing. Perforate the following interval:
2189-95' (6', 7 shots)

RIH w/ 2nd 4" casing gun loaded with 1 JSPF and 19 gram charges @ 180 degree phasing. Perforate the following interval:
2118-25' (7', 8 shots)

RIH w/ 3rd 4" casing gun loaded with 1 JSPF @ 0 degree phasing. Perforate the following interval:
2028-31' (3', 4 shots)

Frac with 39,000 gals 30# XL and 128,000# 20/40 Brady sand and 42,750# 20/40 Brady resin coated sand.

Drill out cement and push CIBP to PBTD @ 3400'.

Return well to production. Producing Interval 2028-31', 2118-25', 2189-95'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Tami L. Wilber

TITLE:

Production Clerk

DATE:

2/24/97

TYPE OR PRINT NAME

Tami L. Wilber

Telephone No. (915) 683-2277

(This space for State Use)

ORIGINAL SIGNED BY TIM K. CUM
DISTRICT II SUPERVISOR

APPROVED BY:

TITLE:

DATE:

FEB 27 1997

CONDITIONS OF APPROVAL, IF ANY: