District I PC Box 1980, Hobbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV PO Box 2088, Santa Fe, NM 87504-2088 State of New Mexico Eucry, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C-101 Revised February 21, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

P. O.	esource Box 5	061	nc.	Operator Nai	ne and Address.		NAV 2 3 1335		0204	RID Number 51 S - Z9006
	nd, TX				• Pr	operty Name			<u> </u>	• Well No.
015786	-		С	onoco 7	/ State			ال 1		14
					⁷ Surface	Location	An Inde St			
UL or lot no.	Section	Townst	ip Range	Lot Ida	Feet from the	North/South line	Feet from the	East/W	est line	County
K	7	19			2630	South	1350		st	Eddy
		8	Proposed	Bottom	Hole Locati	ion If Differ	ent From Sur	face		
UL or lot no.	Section	Townsh		Lot Ida	Feet from the	North/South line		East/V	Yest line	County
40					<u> </u>	<u> </u>				
Millm	an-QN-		, East	46	555		······································	sed Pool	<u> </u>	<u> </u>
"Work 1	Type Code		" Well Typ	e Code	¹¹ Cable	/Rolary	⁴⁴ Lease Type C	ode		ad Level Elevation

N	0	Rotary	S	3375
¹⁴ Multiple	17 Proposed Depth	" Formation	" Contractor	^M Spud Date
No	3100'	QN-GR-SA	United DR1g Co.	6/1/96

²¹ Proposed Casing and Cement Program

Curling Stee	the second s		Sacks of Cement	Estimated TOC
CHILDE SUR				
8-5/8"	2.4#	350'	<u>350 sxs CL C</u>	Surf.
5-1/2"	14#	3100'	350 sxs Poz	Surf.
			+ 400 sxs Lite	Port ID-1
				6-14-96
· · · · · · · · · · · · · · · · · · ·			Theur	K & API
	Casing Size 8-5/8" 5-1/2"	Casing Size Casing weight/foot 8-5/8 ¹¹ 24#	Casing Size Casing weight/foot Setting Depth 8-5/8" 24# 350 !	Casing Size Claing weight of the 8-5/8" 24#

¹² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Plan to drill a 12-1/4" hole to approximately 350' and set 8-5/8" surface casing at 350'. Circulate Class C cement. Drill 7-7/8" hole to total depth of 3100'. Run open hole logs. Run 5-1/2" casing and circulate cement. Perforate the QN-GR-SA and stimulate as necessary for optimum production.

Permitted as a standard location in State 7 Leasehold Waterflood Project (R-10589) as per OCD Order No. R 10533.

²⁰ I bereby certify that the information given above is true and complete to the best of my knowledge and belief. Signature:		OIL CONSERVATION DIVISION			
		Approved by: ORIGINAL SIGNED BY TIM W. GUM			
Printed manne: Janice Courtne	1	Title: D	ISTRICT II SU	PERVISOR	
Tike: Regulatory Te		Approval Date: 6 -	10-96	Expiration Date:	6-10-97
Desc: Phone: 5/20/96 915/685-1761		Conditions of Approv Attached	al :		

District I PO Box 1980, Hobbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV PO Box 2088, Santa Fe, NM 87504-2088 State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

WE	LL LOCATION AND	ACREAGE DEDICATION PLAT
API Number	¹ Pool Code	³ Pool Name
C-79001	46555	Millman-ON-GR-SA, East

30-015-29006 46555 Millman-QN-GR-SA, East 'Property Code 'Property Code 'Property Name 015786 CONOCO 7 STATE 14 'OGRID No. 'Operator Name 'Elevation 020451 SDX RESOURCES, INC. 3375. ID Surface Location UL or lot no. Section Township Range Lot Idn Feet from the Feet from the East/West line County
'OGRID No. 'Operator Name 'Elevation 020451 SDX RESOURCES, INC. 3375.
'OGRID No. 'Operator Name 'Elevation 020451 SDX RESOURCES, INC. 3375.
¹⁰ Surface Location
UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County
K 7 19–S 29–E 2630 SOUTH 1350 WEST EDDY
¹¹ Bottom Hole Location If Different From Surface
UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County
12 Dedicated Acres 12 Joint or Infill 14 Consolidation Code 14 Order No.
40
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION
¹⁷ OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belie
Janice Coustney
Signatore
Janice Courtney
Printed Name
Regulatory Tech Tule
5/20/96
Date
1350' Isurveyor certification
I hereby certify that the well location shown on this plan
was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true
and correct to the best of my belief.
MAY 14, 1995
Date of Survey R. H E D D +
Signature and she HErtorestional Surveyor:
THE SURVESS AND SURVESS
Certificate Nutrief ESSION

Blow Out Preventor Schematic

, • · •



Lease: <u>CONOCO 7 STATE</u> Well: 14 Letter K, Sec. 7, T19S, R29E Eddy Co., NM