	, —		
Submit 3 Copies to Appropriate District Office	State of New Mexico Energy, interals and Natural Resources Department		Form C-103 Revised 1-1-89
DISTRICT I P.O. Box 1980, Hobbs, NM 88240	OIL CONSERVATION DIVISION P.O. Box 2088		WELL API NO.
DISTRICT II P.O. DOX 2000 Santa Fe, New Mexico 87504-2088 P.O. Drawer DD, Artesia, NM 88210			30-015-29117 5. Indicate Type of Lease
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410			6. State Oil & Gas Lesse No.
· · ·		10	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR END END (FORM C-101) FOR SUCH PROPOSALE END END			7. Lease Name or Unit Agreement Name
1. Type of Well: Oll GAS WELL X WELL [OTHER	x = 2.1996	Patrick API
2. Name of Operator YATES PETROLEUM CORPO	DRATION		8. Well No. 5
3. Address of Operator	OIL	CON. DIV	p 9. Pool name or Wildcat
105 South 4th St., And 4. Well Location	ctesia, NM 88210	- DIST. 2	Dagger Draw Upper Penn, North
Unit LetterH :]	1980 Feet From The North	Line and660	Feet From The East Line
Section 9 Township 19S Range 25E NMPM Eddy County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3508' GR			
		REMEDIAL WORK	
PULL OR ALTER CASING CASING TEST AND CI			
OTHER: OTHER: OTHER:			urface casing & cement X
 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Spudded a 26" hole with rat hole machine at 10:00 AM 9-10-96. Set 80' of 20" conductor pipe. Cemented to surface. NOTE: Notified Tim Gum w/OCD-Artesia of spud. Resumed drilling a 14-3/4" hole with rotary tools at 7:00 PM 9-16-96. 			
TD 1168'. Reached TD at 3:30 PM 9-17-96. Ran 26 joints of 9-5/8" 36# J-55 (1171.52') of casing set at 1168'. 1-Texas Pattern notched guide shoe set at 1168'. Insert float set at 1123'. Cemented with 200 sacks Class "H", 10% A-11, 1% CaCl2, 10#/sack gilsonite and 1/2#/sack celloflake (yield 1.51, weight 14.6) and 900 sacks Pacesetter Lite C, 10#/sack Calceal, 2% CaCl2 and 1/4#/sack celloflake (yield 1.98, weight 12.5). Tailed in with 200 sacks Class C 2% CaCl2 (yield 1.34, weight 14.8). PD 9:15 PM 9-17-96. Bumped plug to 900 psi, OK. Cement did not circulate. WOC 4 hours. Ran Temperature Survey and found top of cement at 200'. Ran 1". Tagged cement at 175'. Spotted 75 sacks Class C 4% CaCl2. PD 3:25 AM 9-18-96. WOC 2 hours. Ran 1". Tagged cement at 150'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement at 150'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement at 150'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement at 150'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement at 150'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement 30'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement 30'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement 30'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged cement 30'. Spotted 75 sacks Class C 4% CaCl2. PD 5:50 AM 9-18-96. WOC 1-1/4 hours. Ran 1". Tagged Continue of the best of my knowledge and belief.			
Kut K	frue and complete to the best of my knowledge and		
TYPE OF PENT NAME RUSTY KLE			TELEPHONE NO. 505/748-147
(This man for State Lise)	ico dy tim W. Qum	LB	OCT 9 1996