JUNE OF THEW MICKEY Submit 3 Copies Form C-103 Enr. Minerals and Natural Resources Department Listrict Office Revised 1-1-89 OIL CONSERVATION DIVISION DISTRICT P.O. Box 1980, Hobbs. NM \$8240 WELL API NO. P.O. Box 2088 DISTRICT II 30-015-29262 Santa Fe, New Mexico 87504-2088 P.O. Drawer DD, Artesia, NM \$8210 5. Indicate Type of Lease STATEXX FEE DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 State Oil & Gas Lease No. OG-/84 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMET" 8910169240 (FORM C-101) FOR SUCH PROPOSALS.) East Millman Pool Unit 1. Type of Well: WET OVS Tract 4 WELL XX OTHER JAN 1 3 1997 2. Name of Operator & Well No. Stephens & Johnson Operating Co. 3. Address of Operator 9. Pool same or Wildox 测图。 P O Box 2249, Wichita Falls, Texas Millman QN-GB-SA, East 4. Well Location Unit Letter C : 260 Line and _2600 ___ Feet From The North Feet From The West Line 13 19S 28E Section Eddy Township Range **NMPM** County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3380' GR 3386' KB Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data 11. NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK **ALTERING CASING** TEMPORARILY ABANDON **CHANGE PLANS** COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT **PULL OR ALTER CASING** CASING TEST AND CEMENT JOB OTHER: OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Spudded 12 1/4" hole 6:00 PM 11-20-96. Drilled to 425' KB and ran 10 jts. 8 5/8" 24#/ft. surface csg. and cemented w/285 sx. of cement. Cement circulated to surface. Drilled 7 7/8" hole to 2718'. Ran 66 jts. 5 1/2", 15.50#/ft. csg., set @ 2708' KB. Cemented with 985 sx. of cement. Cement circulated to surface, plug down @ 8:50 AM 11-27-96. 3. On 12-9-96, perforated Grayburg formation one shot at each of the following depths: 2261,2276,2290,2301/2322,2325,2345,2352,2359,2394,2397,2411,2417,2443,2465,2467,2469, 2488,2491,2494, and 2497. Acidized perforations w/2400 gals. 15% Ferchek acid. On 12-10-96 sand fraced perforations w/40,000 gals. Spectra 3000 and 83,200 lbs. 16/30 sand and 57,600 lbs. 12/20 sand. Petroleum Engineer 1-4-97 SIGNATURE . DATE (817) 723-2166 William M. Kincaid TYPE OR PRINT NAME TELEPHONE NO. (This space for State Use)

JAN 24 1997

original signed by tim w. Gum

APPROVED BY -

CONDITIONS OF AFFROYAL, IF ANY: