Submit 3 Copies to Appropriate District Office

State of New Mexico Energy, Minerals and Natural Resources Department



Form C-103 Revised 1-1-89

DISTRICT I	OIL CONSERVATI	ON DIVISION	
P.O. Box 1980, Hobbs NM 88241-1980 DISTRICT II	2040 Pacheco St.		WELL API NO.
P.O. Drawer DD, Artesia, NM 88210	Santa Fe, NM	87505	30-015-30247
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410			5. Indicate Type of Lease STATE X FEE
			6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS			
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			7. Lease Name or Unit Agreement Name
1. Type of Well:			-William Lightfoot 20 State
OIL GAS WELL WELL			
2. Name of Operator			8. Well No.
Marathon 011 Company 3. Address of Operator			1
P.O. Box 2490 Hobbs. NM 88240 4. Well Location			9. Pool name or Wildcat Wildcat
Unit Letter M : 810	Feet From The South		•
	rear From the South	Line and66	O Feet From The West Line
Section 20	Township 19-S R	ange 28-E	NMPM Eddy County
	10. Elevation (Show wheth	er DF, RKB, RT, GR, etc.	NMPM Eddy County
11. Check Appr	morpriete Perst- I. I.	3468 KB 3486	
Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	П
TEMPORARILY ABANDON	CHANGE PLANS		LJ ALTERING CASING
PULL OR ALTER CASING		COMMENCE DRILLING	ADAMOONNEM
-		CASING TEST AND CEN	MENT JOB [_]
OTHER:		OTHER: New Well C	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.			
MIRU pulling unit. NU BOPE. RIH, DO to 9923', PBTD. Pickle tbg w/750 gals 15% acid. 6/27 Perf 9624-50', 9664-76', 9710-24', w/2 SPF, 138 holes. Break down perfs w/2% KCL wtr. RIH w/RBP & pkr. Set RBP at 9800', pkr at 9569'. Swab well. 6/30 Acidize 9624-9724' w/20.000 gals 20% acid w/200 BS. Flow test well. SWI for pressure build-up test. 7/7 Run static gradient on slick line. Flow well to test tank. Rel pkr at 9569', ret RBP at 9800'. POOH w/both. 7/9 RIH w/2 7/8" prod tbg w/pkr. Land tbg at 9574', set pkr at 9515'. Open well to test tank. RDPU.			
I hereby certify that the information above is true SIGNATURE COOK TYPE OR PRINT NAME Kelly Cook (This space for State Use)	TITL	and belief. E Records Processor	TELEPHONE NO. 393-7106
APPROVED BY	W. Gum	Pirtrict Sep	Runes DATE 7-16-98