

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer-DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

JUN 16 1997

WELL API NO.
30-015-29502

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
E-7668

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR TO BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐
MAY 30 1997

2. Name of Operator
Stephens & Johnson Operating Co.

3. Address of Operator
P O Box 2249, Wichita Falls, Texas 76307-2249 DIST. 2

7. Lease Name or Unit Agreement Name
8910169240
East Millman Pool Unit
Tract 7

8. Well No.
9

9. Pool name or Wildcat
Millman QN-GB-SA, East

4. Well Location
Unit Letter J : 1980 Feet From The South Line and 1900 Feet From The East Line
Section 13 Township 19S Range 28E NMPM Eddy County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3365' GR 3371' KB

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.
- Spudded 12 1/4" hole 12:00 PM 5-8-97. Drilled to 425' KB and ran 10 jts. 8 5/8" 24#/ft. surface csg. and cemented w/620 sx. of cement. WOC 18 hrs.
 - Drilled 7 7/8" hole to 2700'. Ran 68 jts. 5 1/2", 15.50#/ft. casing, set @ 2684' KB. Cemented with 975 sx. of cement. Cement circulated to surface, plug down @ 2:00 AM 5-14-97.
 - Perforated Grayburg formation one shot at each of the following depths: 2305, 2309, 2315, 2342, 2347, 2358, 2361, 2401, 2404, 2482, 2485, 2488, 2536, 2541, 2563, 2569, 2572, 2575, 2601, 2604, 2607. Acidized perforations w/3400 gals. 15% Ferchek acid.
 - On 5-22-97 sand fraced perforations w/40,000 gals. Spectra Frac 3000 and 83,200 lbs. 16/30 sand and 58,200 lbs. 12/20 sand.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE William M. Kincaid TITLE Petroleum Engineer DATE 5-28-97
(940) 723-2166
TELEPHONE NO.
TYPE OR PRINT NAME William M. Kincaid

(This space for State Use)

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

JUN 10 1997