

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-015-29710
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Patrick API
8. Well No.	6
9. Pool name or Wildcat	Dagger Draw Upper Penn. North

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

MAR 1998
RECEIVED
OCD - ARTESIA

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐
2. Name of Operator
YATES PETROLEUM CORPORATION
3. Address of Operator
105 South 4th St., Artesia, NM 88210
4. Well Location

Unit Letter F : 1980 Feet From The North Line and 1980 Feet From The West Line

Section 10 Township 19S Range 25E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3486' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
- TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
- PULL OR ALTER CASING ☐
- OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
- COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
- CASING TEST AND CEMENT JOB ☐
- OTHER: Perforate & acidize ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3-11-98 - Cleaned location and set anchors. Moved in and rigged up pulling unit. Rigged up wireline. TIH with logging tools and ran GR/CBL log. TOOH with logging tools and rigged down wireline.

3-12-98 - TIH with bit, scraper and tubing. Tagged PBTD at 8137'. Pickled tubing with 500 gallons 15% HCL acid. Reversed out acid. TOOH. Rigged up wireline with full lubricator. TIH with 4" casing guns and perforated 7734-7802' w/28 .42" holes as follows: 7734-7740' and 7770-7802' (Canyon). TOOH with casing guns and rigged down wireline. TIH with packer and RBP. Set RBP at 7830'.

3-12-98 - Spotted 3 bbls 20% iron control HCL acid at 7810'. Set packer at 7750'. Break down perforations 7770-7802'. Started acid - pumped 5 bbls - communicated up thru upper perforations. Released packer. Moved up and reset at 7680'. Acidized perforations 7734-7802' with 2300 gallons 20% iron control HCL acid & ball sealers. Released packer and ran down thru perfs to knock balls off. Reset packer at 7680'. Re-acidized perforations 7734-7802' with 15000 gallons 20% gelled iron control HCL acid and ball sealers. Swabbed. Shut well in.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rusty Klein TITLE Operations Technician DATE March 18, 1998

TYPE OR PRINT NAME Rusty Klein TELEPHONE NO. 505/748-1471

(This space for State Use)
ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

APPROVED BY _____ TITLE _____ DATE 4-2-98

CONDITIONS OF APPROVAL, IF ANY:

YATES PETROLEUM CORPORATION
Patrick API #6
Section 10-T19S-R25E
Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:

3-14-98 - Shut in.

3-15-16-98 - Rigged up wireline. Ran static BHP tool. TOOH with wireline. Bled well down. Pumped 50 bbls 2% KCL down tubing. Released packer and RBP. TOOH with tools. Nippled down manual BOP. Nippled up hydril. Released well to production department.



Rusty Klein
Operations Technician
March 18, 1998