District I PO Box 1980, Hobbs, NM 88241-1980

District II 811 South First, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

Form C-1 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

AMENDED REPORT



OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

SDX Resour P. O. Box 50		1Operat	tor Name an	d Address		346673970)		20GRID Number 020451	
Midland, TX 79704							1000 -		PI Number 5-J9886
4Property Code 015786		Co	Conoco 7 State		sProperty Name (17) ල ව		JU 1901	3	₀Well No. 25
,Surface Location									
UL or lot no. A	Section 7	Township 19S	Range 29E	Lot idn	Feet from the 1310	North/South line	- Feet from the	East East	County Eddy

.Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West Line	County
Proposed Pool 1							10Propose	ad Pool 2	
Millman Yates-7 Rvrs-QN-GB-SA, East (46555)									

11Work Type Code	12Well Type Code	1₃Cable/Rotary	₁₄Lease Type Code	₁₅Ground Level Elevation
N	O	R	S	3371
∿Muttip le	17Proposed Depth	18Formation	vsContractor	20Spud Date
No	3100	QN/GR/SA	United Drlg Co	11-28-97

²Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12-1/4"	8-5/8"	24#	350	350 sxs CI C	Surface
7-7/8"	5-1/2"	14#	3100	350 sxs Poz +	Surface
				400 sxs Lite	Post ID-
Î					10-17-9
					PPI + Loc

²²Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Plan to drill a 12-1/4" hole to approximately 350' and set 8-5/8" surface casing. Circulate cement to surface. Drill 7-7/8" hole to total depth of 3100'. Run Open Hole logs . Run 5-1/2" casing and circulate cement. Perforate the QN-GB-SA and stimulate as necessary for optimum production.

Permitted as a standard location in Conoco 7 State Leasehold Waterflood Project (R-10589) as per OCD Order No. R 10533.

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION				
Signature: Janice Country	Approved By: ORIGINAL SIGNED BY TIM W. GUM				
Printed name Janice Courtney 10/03/97	Title: DISTRICT II SUPERVISOR				
Title: Regulatory Tech 915/685-1761	Approval Date: OCT 1 3 1997 Expiration Date: 11-13-98				

1 . .