(August 1999)	DEPART BUREAU U	TOF THE INTERIO		FORM APPROVED CAST OMB No. 1004-0135 Expires November 30, 2000 5. Lease Serial No.
a	SUNDRY NOTICE Do not use this form fo abandoned well. Use Fo	S AND REPORTS ON or proposals to drill or to orm 3160-3 (APD) for suc		st. 2 Aven Hendian, Allottee or Tribe Name 8210
				7. If Unit or CA/Agreement, Name and/or No.
	T IN TRIPLICATE - (Other Instructions o	on reverse side	
1. Type of Well Oil Well	X Gas Well	Other		8. Well Name and No.
2. Name of Operator				9. API Well No.
Yates Petroleum Corporation				30-015-31146
3a Address 3b. Phone No. (include area code) 105 S. 4th Street - Artesia, NM 88210 505-748-1471				10. Field and Pool, or Exploratory Area
 4. Location of Well (Footage, Sec., T.,R., M., or Survey Description) 1980' FSL and 2450' FWL of Section 21 T20S R21E 				Wildcat Morrow
1360 PSL and 2450 PWL of Section 21 120S R21E				11. County or Parish, State
12. CHECK A	PPROPRIATE BOX(E	S) TO INDICATE NAT	URE OF NOTICE, REPOR	Eddy County, NM
TYPE OF SUMISSION		-/	TYPE OF ACTION	I, OR OTHER DATA
Notice of Intent	XAcidize	Deepen	Production (Start/Resume)	Water Shut-Off
X Subsequent Report	X Alter Casing	X Fracture Treat	Reclamation	Well Integrity
Final Abandonment Notice	Casing Repair	New Construction	Recomplete	x Other Perforate
	Change Plans	Plug and Abandon	Temporarily Abandon	
	Convert to Injection	Plug Back	Water Disposal	-
or provide the Bond No. on file with completion or recompletion in a ne reclamation, have been completed 10/25/00 - Run GR/CB Perf Atoka 7739-776 10/26/00 - Acidize perf 10/31/00 - Set CIBP at 11/1/00 - Perf Strawn 7 Acidize with 1000 ga 11/6/00 - Set CIBP at 7 11/8/00 - Perf Strawn 7 11/9/00 - Acidized perfs 11/13/00 - Set CIBP at See Attached	 Italiy, give subsurface locations ar n BLM/BIA. Required subsequent winterval, a Form 3160-4 shall b I, and the operator has determined L/CCL from PBTD (81: 51' with 6 SPF, .42" hc s with 1000 gals 15% I 7570'. '420-7428', 48 holes, als 7.5% IC HCL with N '370'. '232-7236' and 7296-7 s 7232-7298' with 1500 7200'. 	In measured and true vertical dep treports shall be filed within 30 da e filed once testing has been corr d that the site is ready for final ins 30') to 4250'. oles IC HCL + Morrow addit 42" holes. Morrow additives + 100 298' with 6 SPF42" h	ths of all pertinent markers and zones. // iys following completion of the involved of ipleted. Final Abandonment Notices sha pecition.) ives and 1000 SCF N2 per 0 SCF N2 per bbl. noles. with Morrow additives + 100 Title Operations Technic	ALEXIS C. SWOBODA ALEXIS C. SWOBODA PETROLEUM ENGINEPH 00 SCF N2 per bbl + 54 ball sealers.
Signature	A		Date 20-Aug-01	ES S
	тніс о		AL OR STATE OFFICE	
Approved by				USE 224919171ELT
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that he applicant holds legal or equitable title to those rights in the subject lease which would enlitle the applicant to conduct operations thereon.			Office	
Title 18 U.S.C. Section 1001 and T or fraudulent statements or represe	itle 43 U.S.C. Section 1212, make entations as to any matter within it	a it a crime for any person knowing s jurisdiction.	gly and willfully to make to any departme	nt or agency of the United States any false, fictitious



Yates Petroleum Corporation Blacktail "ATT" Federal #1 API 30-015-31146 Section 21 T20S R21E Eddy County, NM

13. Describe proposed ro completed operations (continued):

11/15/00 - Perf 7128-7133', 6SPF, .42" holes.

Acidized perfs with 1000 gals 7-1/2% IC HCL with Morrow additives and 1000 SCF N2 per bbl. 11/16/00 - Set CIBP at 6810'.

Perf Cisco 6004-6010', 6246-6248', 6267-6270', and 6277-6279'.

11/17/00 - Acidize perfs 6246-6279' with 1500 gals 15% IC HCL + 36 ball sealers.

11/21/00 - Acidize perfs 6004-6010' with 1000 gals 15% IC HCL.

11/28/00 - Cap CIBP at 6810' with 17' cement. Set CIPB at 5910'. Cap CIBP at 5910' with 17' cement. Perf Wolfcamp 4708-4728', 2 SPF, .42" holes.

11/29/00 - Acidized perfs with 1500 gals 15% IC HCL + 40 ball sealers.

11/30/00 - Flow test.

12/1/00 - Rig down and release all equipment.

SIWOPL

BECEIVED

2001 AUG 23 AM 9: 49