

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN TRI-STATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

NOV - 9 1973

O. C. G.

ARTESIA, OFFICE

1. OIL WELL [] GAS WELL [X] OTHER []
2. NAME OF OPERATOR Sun Oil Company
3. ADDRESS OF OPERATOR P. O. Box 1861, Midland, Texas 79701
4. LOCATION OF WELL Unit Letter B, 660' from North Line, and 1980' from East line, Sec. 6, T-22-S, R-23-E
14. PERMIT NO. Blanket
15. ELEVATIONS GR 4118'

5. LEASE DESIGNATION AND SERIAL NO. NM0556587
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME Weaver Federal
9. WELL NO. 1
10. FIELD AND POOL, OR WILDCAT Indian Basin
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 6 22-S, 23-E
12. COUNTY OR PARISH Eddy
13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: TEST WATER SHUT-OFF [] PULL OR ALTER CASING [] FRACTURE TREAT [] MULTIPLE COMPLETE [] SHOOT OR ACIDIZE [] ABANDON* [] REPAIR WELL [] CHANGE PLANS [] (Other) []
SUBSEQUENT REPORT OF: WATER SHUT-OFF [] REPAIRING WELL [] FRACTURE TREATMENT [] ALTERING CASING [] SHOOTING OR ACIDIZING [] ABANDONMENT* [XX] (Other) []

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1. MIRU Clark Well Service 9-25-73.
2. Dowell loaded hole w/9.5# Brine, 9-26-73.
3. Pump 75 sacks cement w/5# sacks and followed by Rubber Plug. 9-26-73
4. Displaced plug w/43 Bbls. Mud Laden Brine, went on Vacuum. 9-26-73
5. Pumped 75 sacks class C cement, w/1#/ sack Cello Flakes and 1 1/2 #/sack sand followed by Rubber Plug and mud vacuum. 9-26-73
6. Homco ran and set CISP @ 8810. Dump 39 foot plug from 8871' to 8810'. Cut tubing @ 5900' w/Homco cutter-pulled tubing. 10-3-73
7. Spot 75 sacks cement, plug @ 5900' to 5486'. 10-4-73
8. Spot 30 sacks cement, plug @ 3010' to 2842'. 10-4-73
9. Spot 30 sacks cement, plug @ 1835' to 1750'. 10-4-73
10. Spot 10 sacks cement in top. Weld steel cap on 9-5/8" casing set permanent marker. 10-4-73

RECEIVED NOV 17 - 1973 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct
SIGNED Charles Gray TITLE Proration Clerk DATE 10-22-73

APPROVED BY [Signature] TITLE DATE
CONDITIONS OF APPROVAL, IF ANY:
JAN 11 1974
L. L. BEER
COUNTY DISTRICT ENGINEER

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection, looking to approval of the abandonment.

RECEIVED

JAN 14 1974

D. C. C.
ARTESIA OFFICE