		N, M. O, C.	Comu to, Roswell Budget Bureau No. 42-R358.4.
(Feb. 1951)			NMOCC(2) Land Office
	TAVEN	(SUBMIT IN	N TRIPLICATE) IN STATISTICS
15Pt		UNITE	D STATES
	27 1962 C DEPAI		
(Apr	The		
JAME	S ALINGINEER	GEOLOGI	K L L L V L
	SUNDRY NOTIO	CES AN	D REPORTS ON WELLS
	····		
NOTICE OF INT	ENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INT	ENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
	ENTION TO TEST WATER SHUT-OFF		
	ENTION TO RE-DRILL OR REPAIR WI		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
	ENTION TO SHOOT OR ACIDIZE ENTION TO PULL OR ALTER CASING.		
	ENTION TO ABANDON WELL		
	(INDICATE ABOVE BY C	CHECK MARK NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)
			Hovember 26, 19_62
(23))	te-Vederal)		L
د ۲۰۰۰ میشد. ۲. ۱۱. ۲		<u> </u>	$\begin{bmatrix} N \\ S \end{bmatrix}$ line and $\underbrace{232}_{1}$ ft. from $\begin{bmatrix} E \\ W \end{bmatrix}$ line of sec. $\underbrace{32}_{1}$
ell INo	is located	$ 11. \text{ from}_{-} $	S line and II. from Willine of sec
a waran dalam in	antion 31 - 7-21-	18. Ann Alexa	
(14 Sec. s	and Sec. No.) (Twp.	.) (Rai	
-114	101 L	LACS.	
(1	Field)	(County or Su	ubdivision) (State or Territory)
he elevatio	n of the derrick floor abo	ve sea level	is 3823 ft. (0.1)
he elevation	n of the derrick floor abo		is ft. (0.1) Pos
		DETAILS	S OF WORK
tate names of a	and expected depths to objective san	DETAILS	S OF WORK
tate names of a 70 0388 76 7148 (67111 0) 1808888 7600888 760088 85 0080	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a 70 0388 76 7148 (67111 0) 1808888 7600888 760088 85 0080	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSB VORIAN drill W NACONSS ROCONSS ROCONSS NOLOSS NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSB VORIAN drill W NACONSS ROCONSS ROCONSS NOLOSS NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSB VORIAN drill W NACONSS ROCONSS ROCONSS NOLOSS NO	ind expected depths to objective san ing point to crill a 500 preyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSB VORIAN drill W NACONSS ROCONSS ROCONSS NOLOSS NO	ind expected depths to objective san ing point to crill a 500 Freyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a POSSA VORIAN CTIL NOCONAL TOCUCO NOCONAL NO	ind expected depths to objective san ing point to crill a 500 Freyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- in important proposed work) well to test both the usen and productive to the east. That to fee hole, run 7° cag. in case n which case the hole would be and run 4% production string. d. Circulate coment should 4%
tate names of a 70 0388 70 7148 (87111 0) 84088883 76008883 760068	ind expected depths to objective san ing point to crill a 500 Freyburg cance wh th cable tools, ry for water abut to 62. Ion to wroduction by an	DETAILS nds; show sizes, v nts, and all other ore ybur alch are Bo ur to ybur to ybur bo ybur to ybur	S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cement- ir important proposed work) if well to tort both the usen the productive to the east. Lish to fe ce hole, run 7° car. In case n which case the hole would be " and run 4," production string. d. Circulste coment should 4. REALS 0.000 MILLION NOV 2010 MILLION iting by the Geological Survey before operations may biodomny based.

DIS	TRIBUTION	L		_
SANTA FE				
FILE				
U.S.G.S.	- 1			
LAND OFFICE				
TRANSPORTER	OIL		-	
	GAS			
PRORATION OFFIC	:E	/		
OPERATOR				

NEW MEXICO OIL CONSERVAL. A COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128 Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

OPERATOR								
			SECT				· · · · · · · · · · · · · · · · · · ·	
Operator Robert Grade hance al.			Lease	IL-063240		Well No. 1- (wills)	
Unit Letter	Section	Township	Ra	inge	County	· · · · · · · · · · · · · · · · · · ·		
L	31	21 South		id List	E	<u>ದೆಲ್ಲಿ</u>		
Actual Footage L 970	feet from the	orta line	and 231	fee	t from the		line	
Ground Level Ele			Pool				Dedicated Acreage:	
342	Gra	ylurg		Vilacst				Acre
who bas the r another. (65- 2. If the answer wise? YES	ght to drill into and -3-29 (e) NMSA 19 to question one is NO I	d to produce from any 35 Comp.)	pool and to sts of all th ype of Cons	appropriate the ne owners been c solidation	production ei onsolidated b crests below:	ther for him by communit	. ("Ouner" means the uself or for himself and tization agreement or ot	-
							, <u></u> , <u></u> ,,,,,	
······································		SECTION B]	CERTIFICATION	
		3.2431						
		-					certify that the informat ON A above is true and	
	ļ	No.					he best of my knowledg	
	i i	4				belief.		
	l	- j -		23101		Name		
			ill e 			Position	t. Hausar	
						Company Reb Gri Date	t. G. HANAG	4
	 					shown on plotted fro surveys m supervisio	certify that the well loca the plat in SECTION B om field notes of actual hade by me or under my on, and that the same is ct to the best of my kno f.	l wa
						Date Surv	-	
1							d Professional Enginee	
					,		and Surveyor	-
L					(Jan		N
0 330 660	990 1320 1650 1	200 2310 2640	2000 15	500 1000 .	500 0/	Certificat	e Nó. .M.L.S.No. 542	

INSTRUCTIONS FOR COMPLETION OF FORM C-128

···· - .1

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *botb* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.