

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Midland, Texas

September 3, 1943

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico


Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Standard Oil Company of Texas H. H. Wilson Sec. 3 Well No. 1 in SW 1/4 SR 1/4
of Sec. 3, T. 22 S, R. 25 E, N. M. P. M., Wildcat Field, Eddy County.



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is 660 feet [N.] [S.] of the South line and 1980 feet
[E.] [W.] of the East line of the section

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. --- Assignment No. ---If patented land the owner is ---Address ---If government land the permittee is H. H. WilsonAddress P. O. Box 1442, Houston, TexasThe lessee is Standard Oil Company of TexasAddress P.O. Box 1249, Houston (1) Texas

We propose to drill well with drilling equipment as follows:

Cable Tools (National Machine)

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
13"	10-3/4"	40.5 #	New	150'	Cemented	50
10"	8-5/8"	32 #	New	2000+-	Landed	None
(This string may not be necessary)						
8"	7"	20 #	New	2700+-	Cemented	100+

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 2700-2800 feet.

Additional information:

This well is a wildcat and therefore casing program and total depth are subject to change.

SEP 10 1943

Approved _____, 19____
except as follows:

Sincerely yours,

Standard Oil Company of Texas

Company or Operator

By D. S. GooginsPosition Supervising Engineer

Send communication regarding well to

Name D.S. GooginsAddress P.O. Box 1660, Midland, Texas

OIL CONSERVATION COMMISSION

By Roy YarboroughTitle Secretary

As a result, the β values for the β parameters are not significantly different from zero. This indicates that the β parameters are not significantly different from zero. This is a common finding in the literature, and it suggests that the β parameters are not significantly different from zero.

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

$\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx = \frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx$