

Bullion of total

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Tow 187 Artesia, Non Mexico

June 17, 1949

Writh & Etz 900 W. Texas Street Artesia, New Mexico

Re: L. C. 063567

Gentlagen:

Receipt is advantledged of your "Totice of Intention to Drill" dated May 16, 1969, concring your No. 2 Nates well on the subject land in the PDF 1969, section 7, T. 208., R. 278., Vehillan Field, Eddy County, New Yorkes.

Your proposed work is loredy approved subject to compliance with the provisions of the "Oil and Cas Overating Regulations" revised May 25, 1922, a copy of which will be sent you on request, and subject to the following conditions:

- 1. Brilling operations by authorized are subject to the attached sheet for seneral conditions of approval.
- 2. Furnish a ample description log from the base of 8" easing to the total depth.
- 3. If conterelal oil is encountered, the production string of easing shall be desented with not less than 50 sacks of desent preceded with much circulated to the surface.

Wery truly yours

FRADA B. STAHI

Acting District Engineer

(SUBMIT IN TRIPLICATE)

Land Office Jan - Graces Lease No.053567 UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	X SUBSEQUENT REPORT OF WATER SHUT-OFF.
IOTICE OF INTENTION TO DRILL	
IOTICE OF INTENTION TO CHANGE PLANS	
IOTICE OF INTENTION TO TEST WATER SHUT-OFF	
TOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	i ii
TOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MAR	RK NATURE OF REPORT, NOTICE, OR OTHER DATA)
$\mathcal{A}_{ij} = \mathcal{A}_{ij} + \mathcal{A}_{ij} + \mathcal{A}_{ij}$	19
	from Niline and 2310 ft. from Wiline of sec7
(Twp.)	(Range) (Meridian)
Schillian EDDY	New Vexico
	nty or Subdivision) (State or Territory)
ne elevation of the derrick floor above sea l	level is 3369. ft.
•	AILS OF WORK
ate names of and expected depths to objective sands; show a ing points, and al	sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- ll other important proposed work)
on the above described locat well to a total depth of 700 quantities is encountered at of 8" casing will be mudded at that depth. In the event of 6 5/8 " casing will be rule to the event the well does not the event the well does not the second second the well does not be the wel	mee drilling of a well for oil and gas ion. It is our intention to drill this oft. unless oil or gas in commercial a lesser depth. Aproximately 300 ft. to accomplish a "surface" water shut o production is obtained a production strim and comented or mudded and the 8" pull of prove productive, it will be plugged with Federal regulations pertaining to
To the state of th	in writing by the Geological Survey before operations may be commenced.
	III WALLING BY LAS GEOLOGICAL DULYCY DELOTS OPERALIONS MAY DE COMMENCEC.
Wright & Etz	
ompany RANGENTIGHT	
Wright & Etz	Romaly, Dr
ompany References	By Ragghyhh

mpany .		Д.	1 •	r1	5110	L				
se	Harv	vey Yates-Fedoral						Well No. 12		
	7 NW-	T.	2	0 ·	_S., R	27		E., N	.M.P.M.	
ation _	2310)' f	r.	√. I	8:	330¹	fr.	II •	T _i •	
nty	200	У				LUS Ostki	n /	New	Mexico	
		· i		8	11611) STR /	17-51-70	CI 14	5' /	
				0330						
				1			:			
))		l			!		•	
		 !		•			+			
		, 						,		
٠.										
		; ; !					<u> </u>			
	•] ' { 	•				:	•		
		 					1			
		ļ								
	•		٠.		 		1			
•	•	ļ.,] }		. !			
		i .		,	 	٠				
		:			<u> </u>		<u> </u>			

Elevation, 3563.5