


N.

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

SANTA FE, NEW MEXICO

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, at its proper address, not more than thirty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Reeler & Sheldon

Comstock State

Well No. 1 in SW SW of Sec. 24, T. 20

R. 27, N. M. P. M., Willcox Field, May County.

Well is 660 feet south of the North line and 660 feet west of the East line of SW SW Sec. 24.

If State land the oil and gas lease is No. 2-11086 Assignment No. _____

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is _____ Address _____

Drilling commenced 9-23 19 51 Drilling was completed 10-30 19 51

Name of drilling contractor Kerney & Company Address Becker Building

Elevation above sea level at top of casing 7785 feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from None to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 210 to 255 feet.

No. 2, from 800 to 801 feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	PURPOSE
<u>8-1/8</u>				<u>233</u>				
<u>7"</u>				<u>630</u>				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>10 1/8</u>	<u>8-5/8</u>	<u>233</u>	<u>None</u>			
<u>8 1/2</u>	<u>7</u>	<u>630</u>	<u>None</u>			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SET OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Cable tools were used from 0 feet to 801 feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing Plugged & Abandoned 19 _____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %

emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Billy Courtney Driller P. A. Hansen Driller

Driller J. T. Perkins Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Place _____ Date _____
Name John P. Hansen
Position Partner
Representing Reeler & Sheldon
Company of Operator.
Address _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	235	235	Red Sand
235	275	40	Anhy., GYP.
275	420	145	Mostly red Sand
420	530	110	Anhy.
530	650	120	Brown limestone with anhy., streaks.
650	662	12	Anhy. with sand streaks.
			(See Yates Sand 650')
662	698	36	Anhy.
698	792	94	Anhy. and red sand
792	801	9	Pink granular dolomite.