Form 9-331a (Feb. 1951)	57 TO O. C. C.	•	Budget Bureau 42-R358.2. Approval empires 12-81-52.
	(SUBMIT IN TRIPLICATE)	Land Office	
	UNITED STATES	Lease No	NM 01119
	DEPARTMENT OF THE INTERIOR	Unit	
	GEOLOGICAL SURVEY		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO ABANDON WELL		NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT.
	NOTICE OF INTENTION TO CHANGE PLANS		~}	
	NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO PULL OR ALTER CASING	NOTICE OF INTENTION TO CHANGE PLANS			SUBSEQUENT REPORT OF ARANDONMENT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT.	NOTICE OF INTENTION TO CHANGE PLANS			SUBSEQUENT REPORT OF RE-DRILLING OR DEDAUD
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	NOTICE OF INTENTION TO CHANGE PLANS			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF WATER SHIT OF			SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT OFF

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		April 7, 19	53	
Well No is located	5610 ft. f	rom_ $\begin{cases} N \\ S \end{cases}$ line ar	nd	W line of sec. 4
Lot 3, 300, 4	21 3	27 £	TH PM	
(4 Sec. and Sec. No.) *1 Ideat Clay Hill (Field)	(Twp.) E.f. L	(Range)	(Meridian)	Mexico
()	(County or Subdivision)		(State or Territory)	

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Hole was filled with heavy mud to 530°, where 5 seek commant plug was set. Hole was than filled to 435° with mud. 5-5/8° pipe was pulled in two and 130°. Common plug then set from 435° to 410°, through bettom of pipe. Hole was filled with mud to 150° and commant plug set to 110°. The hole was then filled to the surface with mud. a makene marker was commented at surface, and location cleared.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented D Company Jeorge D. Higgs ARTESIA, NEW HEXILO Address 30 30 By George D. Riggs arlabad, N. M.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

Title