

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

west well

PLUGGING
FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>A.M. BRININSTOOL</i>		Lease <i>STATE #2</i>		Well # <i>2</i>	
Location of Well	Unit <i>SESE P</i>	Section <i>15</i>	Township <i>21S</i>	Range <i>27E</i>	County <i>EDDY</i>
<i>PLUGGING</i> Drilling Contractor <i>am Brininstool</i>		Type of Equipment <i>Cable Tool</i>			
<u>APPROVED CASING PROGRAM</u> <i>in Hole</i>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
	<i>7"</i>			<i>220'</i>	

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole _____ Size of Casing _____ Sacks cement required _____

Type of Shoe used _____ Float collar used _____ Btm 3 jts welded _____

TD of hole *568* Set _____ Feet of _____ Inch _____ # Grade _____

New-used csg. @ _____ with _____ sacks neat cement around shoe
+ _____ sax _____ additives _____

Plug down @ _____ (AM) (PM) Date _____

Cement circulated _____ No. of Sacks _____

Cemented by _____ Witnessed by _____

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____

well plugged as follows:

10 sks. 7" D. = 4-12-63 H.L.

5 sks at surface

with clay between plugs.