

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

PLUGGING
FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>A.M. BRININSTOOL</i>		Lease <i>STATE</i>		Well # <i>1</i>	
Location of Well	Unit <i>P 44E</i>	Section <i>15</i>	Township <i>21S</i>	Range <i>27E</i>	County <i>EDDY</i>
PLUGGING Drilling Contractor <i>A.M. Brininstool</i>		Type of Equipment <i>Cable Tool</i>			
<i>in Hole</i> <u>APPROVED CASING PROGRAM</u>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
	<i>8 5/8</i>			<i>38</i>	
Casing Data:					
Surface _____ joints of _____ inch _____ # Grade _____					
(Approved) (Rejected) _____					
Inspected by _____ date _____					
Cementing Program					
Size of hole _____ Size of Casing _____ Sacks cement required _____					
Type of Shoe used _____ Float collar used _____ Btm 3 jts welded _____					
TD of hole <i>562</i> Set _____ Feet of _____ Inch _____ # Grade _____					
New-used csg. @ _____ with _____ sacks neat cement around shoe					
+ _____ sax _____ additives _____					
Plug down @ _____ (AM) (PM) Date _____					
Cement circulated _____ No. of Sacks _____					
Cemented by _____ Witnessed by _____					
Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: _____					

Well plugged as follows:

10 ska at T.D. = 4-12-63. H.L.

5 ska at surface

with clay between plugs.