



A. WILLIAM RUTTER
907 BALTIMORE STREET
EL PASO, TEXAS

June 8, 1939



ORIGINAL

New Mexico Oil Conservation Commission
Santa Fe, New Mexico

Gentlemen:

Enclosed herewith well record of
A. W. Rutter No. 1 State in Section
15, Township 21 South, Range 27 East,
Eddy County, New Mexico.



Notice of Intention to Drill
was filed April 22, 1939, and was
approved on May 2, 1939, by A. Andreas,
State Geologist.

Very truly yours,

A. W. Rutter.


AMR:G
Enc. 3.

NEW MEXICO OIL CONSERVATION COMMISSION

NEW MEXICO
OIL CONSERVATION COMMISSION

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE

DUPLICATE

AREA 640 ACRES
LOCATE WELL CORRECTLY

A. W. Rutter Hotel Paso Del Norte, El Paso, Texas
Company or Operator Address
State 1 Well No. 1 in NW 1/4 of Sec. 15, T. 21 South
Lease
R. 27 East N. M. P. M., Field, Eddy County.
Well is 2310 feet south of the North line and 2310 feet west of the East line of said lease
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is R. S. Magruder Address A. & M. Petroleum Co.
Drilling commenced May 9 19 39 Drilling was completed May 31, 19 39
Name of drilling contractor Henry Schooler Address Big Lake, Texas
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 612 to 620 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 500 to 510 feet.
No. 2, from 625 to 628 feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>7"</u>	<u>20#</u>	<u>10</u>	<u>Chester</u>	<u>557</u>	<u>Texas</u>	<u>Pattern</u>			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>8 1/2"</u>	<u>7"</u>	<u>557</u>	<u>10</u>			
	<u>O.D.</u>					

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		<u>None</u>				

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 628 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____ 19 _____
The production of the first 24 hours was None barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Arzie Brown Driller _____ Driller
? Roe Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 8th El Paso, Texas, June 8th, 1939
Place Dateday of June 19 39 Name Arzie Brown

Position _____

Representing _____ Company or Operator

My Commission expires 6/31/41 Address Hotel Paso Del Norte, El Paso, Tex.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20	20	Lime
20	50	30	Anhy. and red bed
50	90	40	Red bed
90	130	40	Lime and anhy.
130	280	150	Anhy.
280	300	20	Lime
300	330	30	Sandy lime
330	400	70	Lime
400	420	20	Lime and sand
420	440	20	Sand
440	480	40	Lime
480	500	20	Sandy lime
500	510	10	Sand
510	560	50	Lime
560	570	10	Sandy lime
570	600	30	Lime
600	620	20	Sandy lime
620	625	5	Sandy lime 610-25 Show of oil.
625	628	3	Sand
TOTAL DEPTH 628.			