

Form 3160-5 (June 1990)

Only / //-03

## UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

Oil Cons.

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 N.M. DIV-DIST Expires: March 31, 1993

1301 W. Grand Avenue 3567 Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" " for such that the such that th 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Oil Well 8. Well Name and No. 2. Name of Operator Yates Federal #2 Guadalupe Operating L.L.P. 9. API Well No. 3. Address and Telephone No. 30-015-01176 10. Field and Pool, or Exploratory Area 1401 W. Cuthbert, Midland, TX 79701 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) McMillan(7 Rivers, Queen) 11. County or Parish, State 330' FSL 990' FEL Sec. 6 Eddy T-20-S R-27-E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12 TYPE OF SUBMISSION TYPE OF ACTION Change of Plans Notice of Intent Abandonment **New Construction** Recompletion Non-Routine Fracturing Subsequent Report Plugging Back Water Shut-Off Casing Repair Altering Casing Conversion to Injection Final Abandonment Notice Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\* 10-16-01 Spot 300 sx cement w/ 3% calcium chloride @ 100'. Filled hole w/ Redi Mix to surface. Approved as to play sing of the well bore. Listing under bond is retained soil surface restoration is competed. Approved by Title Accepted for record ingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements

\*See instruction on Reverse Side