



AREA 640 ACRES

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

MUDDING AND CEMENTING RECORD IZE OF SIZE OF WHERE NO. SACKS METHOD MUD AMOUNT OF		re well cor			***************************************	Karatone C	orporationet	<u>al</u>	
United parted Pool, Eddy Course Course 1									
is 2310 feet from south line and 330 feet from east critical 32 If State Land the Oil and Gas Lease No. is ing Commenced 121y 6 1956 Drilling was Completed 121y 18 1956 of Drilling Company from Carlabad, Est Marico 1956 Drilling was Completed 121y 18 1956 of Drilling Company from Carlabad, Est Marico 1956 Drilling was Completed 121y 18 1956 of Drilling Company from Carlabad, Est Marico 1956 The information given is to be kept confidential to released 195 1956 The information given is to be kept confidential to released 195 1956		-			_				
If State Land the Oil and Gas Lease No. is. ing Commenced July 6. 1956. Drilling was Completed July 18. 1959. of Drilling Commenced July 6. 1956. Drilling was Completed July 18. 1959. of Drilling Commany. res. Carlebed, Her Mexico ation above sea level at Top of Tubing Head 3205. The information given is to be kept confidential to released. 19. OIL SANDS OR ZONES 1, from		_							
ing Commenced 1919 6 1956 Drilling was Completed 1919 18 1955 of Drilling Company res Carlebed, Est Mexico ation above sea level at Top of Tubing Head 3205 The information given is to be kept confidential training to the lept confidential training training to the lept confidential training training training to the lept confidential training trai	•								
c of Drilling Couractor. W-W-Drilling Company res. Carlabad, Ser Mexico ation above sea level at Top of Tubing Head. 3205. The information given is to be kept confidential transported to the property of t		- 1							
The information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform to performance in the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be kept confidential to perform the information given is to be formation to perform the information given is to be formation to perform the information performance the information to perform the information performance the information performance the information performance the information performance the information p			•						
AMOUNT OF SECOND STATES OF CASING BEEGORD The information given is to be kept confidential to pelessed		¥		_					
OIL SANDS OR ZONES 1, from		•							
1, from				•			Ŭ	•	
2, from to No. 5, from to No. 6, from to IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from 60 to 65! feet 50! from surface feet. 3, from to feet 4, from to feet 4, from to feet CASING BECORD CASING BECORD CASING BECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENT SEED GRAVITY AMOUNT OF MUDDING NOT CEMENT USED GRAVITY MUDDING NO				on	SANDS OR Z	ONES			
2, from to No. 5, from to No. 6, from to IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from 60 to 65! feet 50! from surface feet. 3, from to feet 4, from to feet 4, from to feet CASING BECORD CASING BECORD CASING BECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENT SEED GRAVITY AMOUNT OF MUDDING NOT CEMENT USED GRAVITY MUDDING NO	1, from		to.	-			to		
IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from	•								
IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from 60 to 65! feet 50! from surface 2, from to feet 3, from to feet 4, from to feet CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8-5/8* 28.5 used 236 open 236 surface MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDD USED GRAVITY MUD USED 10 8-5/8* 244 - FIG. 10 san.									
Added data on rate of water inflow and elevation to which water rose in hole. 1, from 60 to 65! feet. 50! from surface. 2, from to feet. 3, from to feet. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR LOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8=5/8* 28.5 used 236 open 236 surface. MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING OF COMMENT USED GRAVITY AMOUNT OF MUD USED. 10 8-5/8* 244 FIG. 10 235.	•								
1, from to 65! feet 50! from surface 2, from to feet. 3, from to feet. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8.5/8" 28.5 used 236 open 236 surface MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENT USED GRAVITY AMOUNT OF MULE CASING SET OF CEMENT USED GRAVITY MUD USED 10 sxs.			:						
2, from to feet. 3, from to feet. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8.5/8* 28.5 used 236 open 236 sufface MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDD GRAVITY AMOUNT OF MUD USED 10 8-5/8* 244 - Fig. 10 sys.							feet 501 Ass	a murfa ca	
3, from to feet. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8-5/8* 28-5 used 236 Open 236 SUFface MUDDING AND CEMENTING RECORD METHOD GRAVITY AMOUNT OF MUD USED 10 8-5/8* 244 - FIG. 10 cm.	-				-		•		
CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8.5/8* 28.5 used 236 open 236 surface MUDDING AND CEMENTING RECORD MIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED 10 8-5/8* 244 - rig 10 sys.	•								
SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8-5/8* 28.5 Used 236 Open 236 Surface MUDDING AND CEMENTING RECORD IZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED 10 8-5/8* 244 - 145 10 exc.									
SIZE PER FOOT NEW OR CUSED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8.5/8** 28.5 used 236 open 236 surface MUDDING AND CEMENTING RECORD IZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY MUD USED 10 8-5/8** 244 - 16 10 505.	,								
SIZE PER FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8-5/8** 28.5 used 236 open 236 surface MUDDING AND CEMENTING RECORD IZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED 10 8-5/8** 24					CASING RECO	RD	1	<u> </u>	
MUDDING AND CEMENTING RECORD IZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED MUD GRAVITY MUD USED 10 8-5/8" 24 - 12 10 sms.	SIZE					CUT AND PULLED FROM	PERFORATIONS	PURPOSE	
IZE OF SIZE OF WHERE NO. SACKS METHOD MUD AMOUNT OF MUD USED 10 8-5/8* 244	8-5/8	28.5	used	236	open	236		surface	
IZE OF SIZE OF WHERE NO. SACKS METHOD MUD AMOUNT OF MUD USED 10 8-5/8* 244									
IZE OF SIZE OF WHERE NO. SACKS METHOD MUD AMOUNT OF MUD USED 10 8-5/8* 244									
10 8-5/8" 244 USED GRAVITY MUD USED 10 S-5/8" 244 FIG.				MUDDING	AND CEMENT	ING RECORD			
	SIZE OF HOLE			NO. SACKS OF CEMENT			MUD GRAVITY	AMOUNT OF MUD USED	
	10	8.5/8*	244		rde.			10 ere	
PECOPD OF PRODUCTION AND STRUIT ATTOM	-30	0-3/0							
DECORD OF DECORDOR AND STEMM ANTON									
	10	8-5/8*	214	PECOPD OF P		AND STIMULA		10 sxs.	
			(·	~	•	,		
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)		••••••••••			***************************************			•••••	
(Accord the Aroness area, 110, or San, area, meeta area or short)	••••••	***************************************		·····				······	
(Accord the French and, 110, or gain and, metra acard or mon,)							•••••••••••••••••••••••••••••••••••••••		
(Accord the fronts area, fronts area, metra areas or short)		·····	·····				••••••••••••		
(Record the Fracess used, 140. of Qus. of Gais. used, interval detailed of short,)	esult of Pr	oduction Stim	ulation		***************************************				
		***************************************			***************************************	•••••		<u> </u>	
							: Depth Clea ned Ot	ut	

OBD OF DRILL-STEM AND SPECIAL TES

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

שוו שונים					o 715	-					
	ous were u	sed Hom		1661 1	PRODU		iu rioin	***************	teet to	•••••••••••••••••••••••••••••••••••••••	Icet
ut to Pi	ŭ				, 19						
OIL WE	LL: Th	ne producti	on during the first	t 24 ho	urs was	•	ba	rrels of liq	uid of which		% wa
	wa	usoil;	%	was e	mulsion;		.% water	r; and		% was sedin	nent. A.P.I
	Gr	avity									
SAS WE	LL: Th	ne product:	on during the first	24 ho	urs was	1	И.С. F. р	lus			barrels o
	liq	uid Hydro	carbon. Shut in Pr	ressuic	lbs.					-	
Length o	of Time S	hut in			***************************************						
_					TOPS (IN CON		E WIT	H GEOGE	RAPHICAL SE	CTION OF	STATE):
			Southeastern		•					rn New Me	•
. Anhy	y			Т.	Devonian			т.	Ojo Alamo		
			•••••		Silurian				Kirtland-Fruitle		
					Montoya				Farmington		
					McKee				Pictured Cliffs Menefee		
					Ellenburger				Point Lookout.		
. Gray	burg	···		T.	Gr. Wash		•••••	Т.	Mancos	****	
			•						Dakota		
			•••••••••••••••••••••••••••••••••••••••		Rustler				Morrison		
					Tansill	•••			renn		
						•					
T. Penn	1		••••	т.			•••••	Т.			
. Miss				Т.				T.	***************************************		••••••
			1	т.	FORMATIO		RD		;		
		Thickness in Feet	;	T.	FORMATIO		RD	Thicknes	s	Formation	
From	То	Thickness in Feet	, F	ormati	FORMATIO	N RECO	RD	Thicknes	s		
From	To 45 65	Thickness in Feet	caliche, se	Formati	FORMATIO	N RECO	RD	Thicknes	s		
From	To 45 65 120	Thickness in Feet 45 20 55	caliche, se sand shaley sand	ormati	FORMATIO on anhydrite	N RECO	RD	Thicknes	s		
From 5 5 20	To 45 65 120	Thickness in Feet	caliche, se	ormati	FORMATIO on anhydrite	N RECO	RD	Thicknes	s		
From 5 5 20	To 45 65 120	Thickness in Feet 45 20 55 75 10 270	caliche, so sand shaley sand shale and s dolomite anhydrite,	ormati	on anhydrite shale y sand	From	RD	Thicknes	s		
From 5 5 20	To 45 65 120 195 205 475 641	Thickness in Feet 45 20 55 75 10 270 166	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite as	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 7 9 7 7 1	To 45 65 120	Thickness in Feet 45 20 55 75 10 270	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite as	and,	on anhydrite shale y sand	From	RD	Thicknes	s		
From 5 5 20 95 75 41	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 20 95 75 41	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 7 9 7 7 1	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 7 9 7 7 1	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 29 95 95 97 91	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 20 20 175	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 29 95 95 97 91	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 29 95 95 97 91	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	s		
From 5 5 20 95 75 41	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	S		
From 5 5 29 95 95 97 91	To 45 65 120 195 205 175 641 712	Thickness in Feet 45 20 55 75 10 270 166 71	caliche, so sand shaley sand shale and s dolomite anhydrite, dolomite an sand, anhyd	and,	FORMATIO on anhydrite l shale ly sand le and sandy	From	RD	Thicknes	S		

I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
as can be determined from available records.	
<i>⊱</i> ~	July 19, 1956 (Date)
Name Name	Address Box 660, Roswell, New Mexico
13. 6. 11.	
Name Add Add Add Add Add Add Add Add Add Ad	Position or Title. Geologist