Form 9-331 a. (Feb. 1951)	(SUBMIT IN TRIPLICATE) UNITED STATES	Approval expires 12-3 Land Office 062254 Lease No. Unit Mayfield
	CES AND REPORTS	СОРҮ
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OF NOTICE OF INTENTION TO RE-DRILL OR REPAIR NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASIN	GSUBSEQUENT REPORT OF SUBSEQUENT REPORT OF SUBSEQUENT REPORT OF F	WATER SHUT-OFF HOOTING OR ACIDIZING LITERING CASING E-DRILLING OR REPAIR MBANDONMENT
NOTICE OF INTENTION TO ABANDON WELL		
L	CHECK MARK NATURE OF REPORT, NOTICE, OR	

WildcetEddyNew Mexico(Field)(County or Subdivision)(State or Territory)

The elevation of the derrick floor above sea level is $\frac{3200}{\text{ft.}}$ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

10" hole will be drilled to approximately 250'(base of Hustler section) where 8-5/8" csg. will be set to shut off any water encountered at surface or in the Rustler. 7" hole will then be drilled to test the Russell Sand expected at about 660'. If the well is a producer, 7" or $5\frac{1}{2}$ " csg. will be cemented on top of pay and 8-5/8" csg will be pulled. If tell is dry hole, 8-5/8csg will be pulled and well will be plugged in accordance with USGS regulations

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.			
Company	George D. Riggs		
Address	Box 30		
•	Carlsbad, N.M.	By Geo. D. Riggs	
		Title Operator	

U. S. GOVERNMENT PRINTING OFFICE 16-8437-6

. .

3.

·

e ;