

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Metcalf-Fulton-Hadlock

El Paso, Texas

Company or Operator
Momson-State Well No. **1** in **SE-NE** of Sec. **16**, T. **21**
Lease **28** N. M. P. M., **Fenton** Field, **Eddy** County.
Well is **1980** feet south of the North line and **660** feet west of the East line of **Sec. 16-21-28**
If State land the oil and gas lease is No. **B7714** Assignment No. **10**
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced _____ 19____ Drilling was completed **2/18** 19 **44**
Name of drilling contractor **T. E. Brown** Address **Artesia, New Mexico**
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **60** to **64** feet. **Fresh Water**
No. 2, from **370** to **385** feet. **Gyp Water**
No. 3, from **2158** to **2165** feet. **Sulphur Water**
No. 4, from **2170** to **2180** feet. **Sulphur Water**
No. 5, from **2657** to **2659** feet. **Salt Water**

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 1/2"	28#	8 thd	Used		T.P.				
7"	20#	8	New	2291	T.P.				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8 1/2"	587				50 sacks
8	7	2291				50 sacks

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from **0** feet to **2659** feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____ 19____
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

E. D. Ackerman Driller **D. A. Carson** Tooldresser
L. McNutt Driller **H. P. Brown** Tooldresser

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **24**day of **February** 19 **44****Juanita D. Norton**
Notary PublicMy Commission expires **August 28, 1945****Carlsbad, New Mexico** **2/24/44**

Place

Date

Name **E. P. 7**Position **Partner**Representing **Metcalf-Fulton-Hadlock**

Company or Operator

Address **El Paso, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	15	15	Caliche
15	60	45	Red Bed
60	64	4	Gravel
64	265	201	Red Bed
265	285	20	Red Sand
285	485	200	Red Bed
485	685	200	Anhydrite
685	695	10	Shale
695	755	60	Red Bed
755	840	85	Anhydrite
840	1210	370	Salt
1210	2140	930	Anhydrite
2140	2170	30	Broken Anhydrite
2170	2180	10	Sandy Lime
2180	2405	225	Lime
2405	2415	10	Gray Lime
2415	2613	198	Lime
2613	2621	8	Broken Sand
2621	2628	7	Sandy Lime
2628	2634	6	Broken Sand
2634	2657	23	Lime
2657	2659	2	Sand Lime T.D.