


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

Oil Cons. Comm.
Artesia OfficeAREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Robert E. McKee General Contractor, Inc.

McKee-Halen-State

Company or Operator

Lease

Well No. 1 in NE 1/4 of NW 1/4 of Sec. 2, T. 20S

R. 29E, N. M. P. M., Wildcat Field, Eddy County.

Well is 660 feet south of the North line and 1980 feet east of the West line of Section 2

If State land the oil and gas lease is No. B-10769 Assignment No. 1

If patented land the owner is _____, Address _____

If Government land the permittee is _____, Address _____

The Lessee is Robert E. McKee, Gen. Contr., Inc., Address Box 246, Artesia, N. M.

Drilling commenced 5-24-51 19 _____ Drilling was completed 7-9-51 19 _____

Name of drilling contractor Robert E. McKee, Gen. Contr., Inc., Address Box 246, Artesia, N. M.

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 1473 to 1476 No. 4, from _____ to _____

No. 2, from 1503 to 1513 No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 180 to 190 feet.

No. 2, from 200 to 210 feet.

No. 3, from 1524 to 1529 feet. 1 bailer per hour

No. 4, from 1555 to 1559 feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED TO	PURPOSE
13"	50	8	Used	198	Texas			
10 3/4"	40 1/2	8	Used	250	Texas			
8 5/8"	30	8	Used	494	Texas			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	85/8	494'	40 sacks	Haliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
8"	Dumped	Nitro.	95 qts.	7-3-51	1501 to 1514	1516

Results of shooting or chemical treatment Well failed to make commercial producer

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing _____, 19 _____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %

emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Carlos S. Howell, Driller H. S. Guinan, Driller

Paul Hegwer, Driller L. S. Haddox, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 13th

Artesia, N. Mex.

July 13, 1951

day of July, 1951

Name J. R. Smith

Position Manager of Oil Production

Representing Robert E. McKee Gen. Contr., Inc.

Company or Operator.

Address Box 246, Artesia, New Mexico

Billie L. Kruse

Notary Public

My Commission expires April 24, 1955

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20	20	Shale and Gypsum
20	125	105	Sand and Gravel
125	180	55	Red Rock
180	190	10	Sand and water
190	210	20	Anhy. and shell
210	270	60	Sand and Red Rock
270	285	15	Anhy.
285	325	40	Red Rock
325	350	25	Anhy.
350	495	145	Potash
495	952	457	Salt
952	968	16	Anhy.
968	1154	176	Salt
1154	1361	207	Anhy.
1361	1374	13	Anhy., Dolo., and Gry. Sand
1374	1395	21	Anhy. and Gry. Sand
1395	1400	5	Dolo.
1400	1430	30	Gray Sand
1430	1450	20	Dolo., and Gray Sand
1450	1473	23	Gray Sand
1473	1485	12	Dolo.
1485	1513	28	Dolo. and Gray Sand
1513	1529	16	Dolo.
1529	1555	26	Lime