(SUBMIT IN TRIPLICATE)

U.S. Land Office. Las Cruces
Lease or permit No. 029012
Fred 1/. Stebbins.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE P	PLANS SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATE	OR REPAIR WELL SUBSEQUENT REPORT OF REDRILLING OR REPAIR
WATER OF INTENTION TO SHOOT OR	P ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR	ALTER CASING SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON	y back & X
vert to gos wellder	
, o	TE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) OUT THE BOY HOLD CO. 19b. 8, 194
	, 19
Well No. 2 is lo	ocated 660 ft from line and 660 ft. from line of sec. 30
SE_4^1 SE_2^1 Sec. 30,	20 S., 29 H. P.F. (Maridian)
(% Sec. and Sec. No.)	(Twp.) (Range) (Meridian)
(Field)	(County or Subdivision) New Rexico. (State or Perritory)
, -	k floor above sea level isft.
The elevation of the derrica	
	DETAILS OF WORK
	to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comer ing points, and all other important proposed work)
	ation of Pabruary 1, 1945, plan to fill hole bac
from 962 feet to to shut off water on top of less wo for water shut-of bridge and drife at 805. Then re stand 24 hours for	945 feet with gravel and drive 1200% lead wool respectively at 947. Then run 2 sack cement placed. Let stand 24 hours for coment to set and to 1. Then fill with mud to 790 feet, run gravel in 200% lead wool to shut of water encountered in 2 sack cement plug on top of lead wool. Let for cement to set and test for water shut-off. I all 10" and 8 pipe.