


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Pioneer Oil Company
Company or Operator
State _____ Well No. 1 in SW SW SE of Sec. 36, T. 20
Lease
R. 30, N. M. P. M., Field, Eddy County.
Well is _____ feet south of the North line and _____ feet west of the East line of _____
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is _____, Address _____
Drilling commenced 19 25 Drilling was completed October 19 25
Name of drilling contractor _____, Address _____
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19 _____.

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10 1/2"				483'		Data from report of the U.S.G.S.		S.
8 1/2"				780'		Data from report of the U.S.G.S.		S.
				<u>PULLED</u>				
10 1/2"				300'				
8 1/2"				550'				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____, 19 _____.
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ Place _____ Date _____
day of _____, 19 _____ Name _____
_____, 19 _____ Position _____
Notary Public. Representing _____ Company or Operator _____

My Commission expires _____ Address _____

NOTE: This well has been plugged by J. C. Gaston under Contract with the State Land Office. Compensation: Salvage. Plugging and abandonment completed August 24, 1932. Signed J. D. Hunter
J. D. Hunter.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	30		Lime
30	75		Red beds
75	125		Hard sand rock
125	175		Red beds
175	280		Sand beds
280	310		Gyp beds
310	418		Red rock
418	425		Water sand
425	425 480		Red beds
480	520		Lime
520	528		water sand
528	620		Gyp
620	630		Blue shale
630	645		Water rock
645	660		Grey lime
660	760		Shale
760	785		Lime
785	1000		Salt
Log record stops at 1000'.			
Total depth reported to be 1250'.			
G. T. Hellyer-Driller.			
NOTE: This log and information was obtained from the U.S.G.S. office at Roswell, New Mexico and I am unable to say just how reliable it is.			
Signed J. D. Hunter			

N.

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO STATE LAND OFFICE

SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST

WELL RECORD

Mail to State Geologist, Santa Fe, New Mexico, not more than ten days after completion of well. Indicate questionable data by following it with (?). Submit in duplicate.

Company Pioneer Oil Company Address _____

Send correspondence to _____ Address _____

State Well No. 1 in SWSWSE of Sec. 36, T. 20 S, R. 30 E, N. M. P. M., Oil Field Bddy County.

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is _____, Address _____

The lessee is _____, Address _____

If not state or patented land, give status _____

Drilling commenced 1925 19____ Drilling was completed October 1925

Name of drilling contractor _____, Address _____

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 19____.

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____

No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & PULLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>10 1/4"</u>				<u>485'</u>	<u>Data from report of</u>	<u>the U. S. G. S.</u>	<u>" " "</u>	<u>" " "</u>	
<u>8 1/2"</u>				<u>780'</u>	<u>" " "</u>	<u>" " "</u>	<u>" " "</u>	<u>" " "</u>	
				<u>PULLED</u>					
<u>10 1/4"</u>				<u>300'</u>					
<u>8 1/2"</u>				<u>550'</u>					

MUDDING AND CEMENTING RECORD

SIZE	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

SIZE	SHELL USED	EXPLOSIVE USED	QUANTITY	DATE	DEPTH SHOT	DEPTH CLEANED OUT

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____, 19____.

The production of the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYES

_____, Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ Name _____

day of _____, 19____ Position _____

_____, Notary Public. _____, Company or Operator.

My commission expires _____

NOTE: This well has been plugged by J. C. Gaston under contract with the State Land Office. Compensation: Salvage.
Plugging and abandonment completed August 24, 1932.

J. D. Hunter.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	30		Lime.
30	75		Red beds.
75	125		Hard sand rock.
125	175		Red beds.
175	280		Sand beds.
280	310		Gyp beds.
310	418		Red rock.
418	425		Water sand.
425	480		Red beds.
480	520		Lime.
520	528		Water sand (1 Bailer in 12 hours.)
528	620		Gyp.
620	680		Blue shale.
640	645		Water rock (Hole full water)
645	660		Grey lime.
660	700		Brown shale.
700	760		Blue shale.
760	785		Lime.
785	1000		Salt.
Log record stops at 1000'.			
Total depth reported to be 1250'.			
G. T. Hellyer-Driller.			
NOTE: This log and information was obtained from the U. S. G. S. office at Roswell, New Mexico and I am unable to say just how reliable it is.			
			