

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las AlamosLease No. 061581Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Date June 14, 1925, 1925Well No. 1 is located 230 ft. from N line and 340 ft. from E line of sec. 10

10 (1/4 Sec. and Sec. No.) 2 (Twp.) 31 (Range) 1 (Meridian)

Artesia (Field) Artesia (County or Subdivision) N.M. (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

In accordance with report of plans to plug above well this
 20" pipe cement plug from 1080 to 4251. Bottom of 7" pipe at 4251
 10" pipe and from 4251 to 9970
 10" pipe cement 8070 to 9970. 70 sacks mud 8070 to 720.
 20" pipe cement 720 to 700. 40 sacks mud to top of cellar.
 Cement underfoot to be set as soon as rig is moved.
 Knocked off 18" casing at 3320 ft. Knocked off 6 1/2" casing at 720.
 Set 7" casing to 4251 ft. and 3-8 casing at 991.
 Top of salt 991 ft. Bottom of salt 2970 ft.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company S. Bryant
1000 Broadway
 Address Artesia, N.M.

By Fred Brainard
 Title Agent

