



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYField Office Santa FeLease No. M M 01119Unit **RECEIVED**

AUG 31 1979

SUNDRY NOTICES AND REPORTS ON WELLS O. C. C.
ARTESIA, OFFICE

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT..... <input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL..... <input checked="" type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 9th, 1953

Well No. 2 X is located 1500 ft. from N line and 2310 ft. from E line of sec. 5.
34 sec. 5 21S 27E 11PA
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cedar Hill Edgy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3313 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

As per telephone conversation, we have plugged Stevens #2-X. Total depth was 569 1/2 feet. Filled with cement to 410 and drove 200 lbs. of lead wool on top of plug. Filled up with cement (10 sacks) to 390. Filled with mud to 230 feet. Ran 10 sacks of cement. Filled with mud to surface and ran 20 feet cement plug. Set regulation marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Welch & Yates
300 Becker Bldg.,
Address Artesia, New Mexico.

By [Signature]Title Agent