


(SUBMIT IN TRIPLICATE)

Land Office 4-43-1008

Lease No. 3-17-7

Unit 1118

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

*Water injection well* over or 19 50

Well No. 27 is located 132 ft. from N line and 500 ft. from E line of sec. 13

SW 11 11 11  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
(County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3240 ft. ass.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well will be drilled as a water input well, 3" rotary hole will be drilled to a depth of about 75' (top of Yates) and hole will then be cased to a total depth of about 100', using diamond bit. 1" line pipe will be cemented from total depth to surface with approximately 1.5 sack cement. Pipe will then be perforated opposite oil sand for use as a water injection well. More log may be run before cementing 1".

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company William W. Willis, et al

Address Box 127

Marathon, Tex Mexico

By Carl W. Willis

Title Partner