

Form 9-331a  
(Feb. 1961)


(SUBMIT IN TRIPLICATE)

Land Office Santa Fe,Lease No. 6-30349

Unit \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Virginia Lee

as modified below  
**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Artesia, New Mexico.

May 15, 1963

Well No. 1 is located 550 ft. from N line and 550 ft. from E line of sec. 10

NE 1/4 Sec. 10 (1/4 Sec. and Sec. No.) 20 S. (Twp.) 27 (Range) (Meridian)

Wildcat (Field) Brady (County or Subdivision)

RECEIVED  
MAY 21 1963  
G. L. S.  
ARTESIA, OFFICE

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

## Plan to plug and abandon as follows:

Spot 100 foot cement plug from 1472 to 1479 feet. Pull 400' of 3 5/8" casing.

Spot 100 foot cement plug from 450 to 550 feet.  
Set regulation marker in 25 foot plug at surface.

## Fill pits and clean location.

Any mud to be placed between plugs

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company John A. YatesAddress 323 C. Roper Building.Roswell, New Mexico.By Vala CarderTitle Secretary