NEW MEXICO OIL CONSERVATION COMMISSION DRAWER DD ARTESIA, NEW MEXICO

Operator			Lease	Lease			Well #	
Location of Well	Unit	Section		Townst 22			County	
Drilling Contractor o Jack								
APPROVED CASING PROGRAM								
Size of Ho	le Size	Size of Casing		Weight Per Foot		v or Used	Depth	Sacks Cement
17 12		317	46			in e K	3.40	
12 :			2.283 3			er de la	2400	۰
- "1		• · · ·	0.5	4 11 3	124	ut local	11300	300
Casing Data:								
Surface 26 joints of 13 2 inch 48 # Grade H-49 5 API jum								
Inspected by Arlener (Approved) (Bejeeted) date 7-25-54								
Cementing Program								
Size of hole $\frac{17/2}{2}$ Size of Casing $\frac{13^3}{2}$ Sacks coment required								
Type of Shoe used finde Float collar used Btm 3 jts welded from the								
TD of hole First Set Feet of /3 /Inch 200 # Grade Mane								
New used csg. @ with 20 sacks neat cement around shoe								
+ 300 sax at all the additives knowing the sort								
Plug down @ / 00 (AM) (PM) Date 7- 10- 24								
Cement circulated No. of Sacks								
Cemented by Witnessed by								
Temp. Survey ran @ (AM) (PM) Date top cement @ //								
Casing test @(AM) (PM) Date								
Witnessed by								
Checked for shut off @ (AM) (PM) Date								
Wethod usedWitnessed by								
Remarks: Met 2000 - Contract 1 200 100 10 - 2 20 20100 100 F								
37 - 22 State - 1 & State - 4 Pilling								
1 And the found of ment in the second of the second of the								

FIELD REPORT FOR CEMENTING OF WELLS