

copy to J. F.

APPROVED

SEP 10 1964
RONNIE E. SHOOK
ACTING DISTRICT ENGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**

Lease No. **NM 06743**

Unit **RECEIVED**

SEP 11 1964

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Union ☒ September 3, 1964

Well No. **1** is located **660** ft. from **[N]** line and **1530** ft. from **[E]** line of sec. **13**

NM/4 NE/4 Sec. 13 **20S** **29E** **NMPM**

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Jetty Yates **Eddy** **New Mexico**

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well has been plugged on June 27, 1964 by the following method:

1. Filled hole with heavy gel.
2. Set 100' cement plug 1460' - 1560'
3. Set 100' cement plug 1210' - 1310'
4. Set 100' cement plug 295' - 305'
5. Set regulation marker in cement.

The 5' casing was cut off at 1263'. The cement plug at 1290' - 1310' was one-half in and out of 5' casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operation is commenced.

Company **Harvey & Company**

Address **P. O. Box 316**

Artesia, New Mexico

By **Harvey Harvey**
Owner

Title _____