

Tubing ID		2 441	2 780.80	Gas Volume #1	Static	129.6	Gas Volume #2	Static	127.8	Gas Volume #3	Static	128.03	Gas Volume #4	Static	140.6
Tubing Length		6350		Differential	5.3		Differential	37.8		Differential	56		Differential	60.6	
Top Part		0 6194		Temperature	28.78		Temperature	28.78		Temperature	28.78		Temperature	28.78	
Grav (g)		0 3852		Office Factor	0.70		Office Factor	0.70		Office Factor	0.70		Office Factor	0.70	
N ₂ CO ₂		1 0911		P _{cr}	362		P _{cr}	362		P _{cr}	362		P _{cr}	362	
N ₂		159		P _m	129.6		P _m	129.6		P _m	129.6		P _m	129.6	
Bottom Hole Temp				P _{tm}	553		P _{tm}	540		P _{tm}	540		P _{tm}	540	
				P _{tr}	0.19		P _{tr}	0.19		P _{tr}	0.19		P _{tr}	0.19	
				P _{tr}	1.53		P _{tr}	1.48		P _{tr}	1.43		P _{tr}	1.44	
				P _{tr}	0.9805		P _{tr}	0.9796		P _{tr}	0.976		P _{tr}	0.976	
				P _{tr}	1.0096		P _{tr}	1.0103		P _{tr}	1.0122		P _{tr}	1.0122	
				P _{tr}	0.9897		P _{tr}	0.9813		P _{tr}	1.0019		P _{tr}	1.0000	
				P _{tr}	1.2708		P _{tr}	1.2708		P _{tr}	1.2708		P _{tr}	1.2708	
				P _{tr}	838		P _{tr}	1308		P _{tr}	2560		P _{tr}	3422	
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}			P _{tr}			P _{tr}			P _{tr}		
				P _{tr}											