10"	8 5/8"							
12 1/2"	10 3/4"	32 Lb.	2 Lb. Approx. 30' Suff 14 Lb. Approx. 275' Number			Tritule ch estantant		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING			QUANTITY OF CEMENT		
23.	Ι	PROPOSED CASING AN			AM			
21. ELEVATIONS (Show wh	ether DF, RT, GR, etc.)					22. APPROX. DATE		
18. DISTANCE FROM PROPOSED LOCATION* 19. PROPOSED DEFTH 20. RO TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320 feet 1350						CADLE TOOLS		
(Also to nearest drig	(, line, if any)		ROPOSED DEPTH		20. ROTA	RY OR CABLE TOOLS		
15. DISTANCE FROM PROP LOCATION TO NEARES PROPERTY OR LEASE LID	T NE. FT. North	2 E GRE	0. OF ACRES IN 2123.19	LEASE		ACRES ASSIGNED		
14. DISTANCE IN MILES	AND DIRECTION FROM NEAD	EST TOWN OR POST OFFIC	E*			12. COUNTY OR PART	SH 13. STATE New Mexico	
At surface 660 Fe At proposed prod. zor	et From North L	ine & 1650 Feet	: From Eas	st Line			ABEA 205. j - R27 L.	
4. LOCATION OF WELL (R	eport location clearly and	in accordance with any	State requireme	nts.*)			East m. m.d. m.	
3. ADDRESS OF OPERATOR P. O. Nox 520, Roswell, New Mexico, 88201						10. FIELD AND POOL, OB WILDCAT		
	. Trigg					2-3		
2. NAME OF OPERATOR	the an					9. WELL NO.	· · ·	
	AS OTHER			MULTIPL ZONE	E	8. FARM OR LEASE 1		
	LL 🗷	DEEPEN 🗌	PLU	JG BAC	к 🗆 🛛	7. UNIT AGBREMENT	NAMB	
APPLICATION	I FOR PERMIT T	O DRILL, DEEPI	EN, OR P	LUG B/	ACK	6. IF INDIAN, ALLOT?	LE OR TRIBE NAME	
	GEOLOG	GICAL SURVEY			11 E 42		02295	
	DEPARTMENT	OF THE INTER	RIOR	tin strand	ſ	5. LEASE DESIGNATIO		
(1113) 1505)	UNIT	ED STATES			a)			
Form 9-331 C (May 1963)		1. C. C. C. C. Y.		IT IN		Budget Bure	ved. au No. 42–B1425.	

NON : 3 55

We propose drilling a 1350 foot Queen Sandstone test with cable tools.

Surface casing will be run to approximately 30 feet and comented with an august sufficient to circulate. A cave string for water shut-off will be run to approximately 275 feet. If commercial production is obtained, 4 1/2 casing will be run to total depth and commanded with 100 sacks.

All casing run and commuted will conform to methods approved by the U.S.G.S.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on preductive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.	GNED	Owner	DATE Hevenber 25, 1964
	This space for Federal r State office use)		DEDEIVED
PE	RMIT NO	APPROVAL DATE	1964
AP	ADITIONS OF A CALL IF ANY :		ARTESIA, OFFICE
	Active Distance	*See Instructions On Reverse Side	

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices. Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

U.S. GOVERNMENT PRINTING OFFICE: 1963-O-685231

		NEW MEX						•	ORM C-125 evised 5/1/57
·	SEE IN	STRUCTIONS	POR COMP	LETING 1	WIS FORM O	N THE REV	ERSE SIDE		
Operator				ECTIOI	A A			Veil 1	
•	I. TRIGG				FEDER	AL "TY"			a
B 3 20 SOUTH					Range County 27 EAST			EDDY	
660	ation of Vell: feet from the	NORTH	line and	165	0 fac	t from the	EAST	line	
round Level Elev. Producing Formation Peal		Peel				Dedicated Acreage: 40 Acrea			
another. (65-3 . If the answer to	et to drill into and 29 (c) NMSA 19 question one is ' 	f to produce f 35 Comp.) "no," have th f answer is "	rom any pool e interestu e yes,'' Type d	and to app of all the o of Consolio and their re	proprieto (bo waeto boca c dation	production e consolidated prests below	itber for bin by communit	nself or for bit	neelf and
	<u></u>					<u>-</u>	·		
		SECTI	DN B	I			 ז	CERTIFICAT	
			ő						
			660					certify that th	e information true and com-
			1	1650'-					knowledge and
							Nam Freition	Owner	Iniga
							Company	John H. 1	rigg
·····			NGINEER &	THE SUL		2	Date	November	
		REG	676	0	CEIVE	ED 54 L SURVE MEXICO	shows es	the plat in SE m field notes ade by me ar m, and that th at to the best	
i i	RE	CEI	EU	AR	PDIM	T			
		DEC 1	1964		r - * - 1		Date Surv	11-2	4-64
		ARTEBIA						d Professione ad Surveyor,	
330 660 99		ARTEBIA		1000	1000			Shorte	1 abert