SUNDRY NOTICES AND REPORTS ON WELLS

	NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY.
--	------------------------------	--	--

(INDICATE	ABOVE BY CHECK MAR	K NATURE OF REPO	RT, NOTICE, OR OTH	6-30-
Well No. 1118-10 is located	1980 dft. fron	m_{-} $\left\{\begin{matrix} N \\ S \end{matrix}\right\}$ line an	d 1310 ft.	from E line of sec
Skyke; of Sec. 13	20 8	26E	MIM	(**)
(½ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	New Mexico
(Field)	(County	or Subdivision)		(State or Territory)
he elevation of the derrick fl	loor above sea le	evel is 3253	ft.	
		ILS OF WO		
tate names of and expected depths to ol	bjective sands; show siz	zes, weights, and le	ngths of proposed	casings; indicate mudding jobs, ce
will cement 150° o will out with 6 3/8 bi	ing points, and all of 7" ceating to to top of to 60 sacks (ce	with 15 and the Lussell alculated a	ks to shut send, spo nough to f	111 150% through se
Will coment 150' of Wrill out with 6 3/8 bi ig coming commend with detion. Will drill In- mater.	ing points, and all of 7" ceating to to top of to 60 sacks (ce	with 15 and the Lussell alculated a	ks to shut send, spo nough to f	reme, 500 ft. Rem ill 150% through selecting or injecting
will cement 150° of will out with 6 3/8 bit in commented with species. Will drill Interes. REC	ing points, and all of 7" cesting to to top of to 60 sacks (eates mand and	with 15 and the Lussell alculated a	ks to shut send, spo mough to f	reme, 500 ft. Rem ill 150% through selecting or injecting
will cement 150° corill out with 6 3/8 bit in cemented with species. Will drill Interes. REC JUL	of 7° ceating to to top of to to seeks (exacts send and	with 15 and the Lussell alculated a	ks to shut send, approach to fine on produ	rece. 500 ft. Run ill 150% through se eding or injecting IVED 1964 EE 1964 1964 1964 1964 1964 1964 1964
will cement 150° corill out with 6 3/8 bit is easing cemented with section. Will drill Instanter. REC JUL	ing points, and all of 7" ceasing to to top of to top of to top of to top of to top and and EIVED 1 0 1964 C. C. BIA, OFFICE BUSH TO TOP OF	with 15 and the fuscall alculated a then decid	ks to shut send, springly to find the find sen produced by the find sen	rece. 500 ft. Run 111 150% through se eding or injecting IVED 1964 CEIVET 1964 CEIVET 1964 CEIVET 1964 CEIVET
will cement 150° comils out with 6 3/8 bit is coming commented with section. Will drill Years ter. REC JUL ARTES I understand that this plan of work mail Ha will	ing points, and all of 7" ceasing to to top of to top of to top of to top of to top and and EIVED 1 0 1964 C. C. BIA, OFFICE BUSH TO TOP OF	with 15 and the fuscall alculated a then decid	ks to shut send, springly to find the find sen produced by the find sen	rece. 500 ft. Run 111 150% through se eding or injecting IVED 1964 CEIVET 1964 CEIVET 1964 CEIVET 1964 CEIVET

NUMBER OF COPIES RECEIVED						
011	TRIBUTIO	ON				
BANTA FE						
FILE			•			
U.S.G.S.						
LAND OFFICE						
	OIL					
TRANSPORTER	GAS					
PROBATION OFFI	E	7				

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

					M, CE 1140		1 OKM OII	THE REVI	-1/32 3	IIDE
PROBATION OFFICE OPERATOR										
		· · · · · · · · · · · · · · · · · · ·		SECTIO	N A		<u> </u>	···		
Operator				Lease						Well No.
Neil H.	Wills			<u></u>	1.0-05	0797	· 			₩111s-60
H	ction 1)	Township	203	Ran	ge 23%		County	Eddy		
Actual Footage Locat 1963 fe	et from the	North	line and	1,	320	feet	from the	East		line
Ground Level Elev. 3252	Producing F	ormation		Pool	Found	11			Dedic	ated Acreage:
 Is the Operator the who has the right another. (65-3-2 If the answer to question wise? YES	to drill into and 29 (e) NMSA 19 nestion one is ' NO I	d to produce ; 35 Comp.) 'no,'' have the fanswer is ''	from any poone interests yes," Type	of all the	owners be	the p	roduction en	oy communi	nself o	
Owner					Land De	scriptı	on	JU	L 8	1964
). C.	
		SECTI	ON B					TART		TIFICATION
				1980		1314	o' ->	in SECTI	ON A she bes	that the information above is true and comto of my knowledge and
		Sect	ion 13	<u> </u>	UNL 8 CONTRACTOR		WEXING CONNA ST	shown on plotted fr surveys n supervisi and corre and belie	the place om field and by on, and ct to the f.	that the well location at in SECTION B was d notes of actual me or under my lithat the same is true he best of my knowledge essional Engineer veyor
0 330 660 990	1320 1650 IS	280 2310 26	40 200	00 150	0 1000	50	00 0	Certificat	lei	m m

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.

50-010-1UYdd

ORRID 153653

PROP , 8883

P001 52820

Order #2511