

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TR. CATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 4, T-22-S, R-24-S

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Drilling Well		7. UNIT AGREEMENT NAME Walt Canyon Unit
2. NAME OF OPERATOR The Atlantic Refining Company		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR P. O. Box 1978, Roswell, New Mexico		9. WELL NO. 2
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 960' FWL & 800' FWL		10. FIELD AND POOL, OR WILDCAT Wildcat
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3956 Grd., 3965 DF	12. COUNTY OR PARISH Eddy
		13. STATE N. M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Spud Well

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Moved in and rigged up rotary rig. Spudded well at 8:00 A.M. 5/26/64. Drilled 17-1/2" hole to 317'. Ran 9 jts 13-3/8" OD SR 48 H-40 ST&C casing, float collar & guide shoe = 287.51'. Set at 301.21'. Cemented w/175 ex liner seat + 4% gel & 2% Ca Cl, followed by 150 ex liner seat & 2% Ca Cl. Plug down at 1:30 A.M. 5/29/64. Cement circulated. WOC 27-1/2 hrs. Tested casing to 800' for 30 minutes. Held OK & job complete at 8:00 A.M. 5/30/64. Started air drilling on formation at 12:00 noon 5/30/64. Well dusted below casing shoe.

RECEIVED

JUN 11 1964

O. C. C.
ARTESIA. OFFICE

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Dist. Orig. & Prod. Supt.

DATE

6-9-64

(This space for Federal or State office use)

TITLE

DATE

APPROVED BY _____

R. L. BEEHMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.