

N. M. O. C. C. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN 2 PLACES
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR MARATHON OIL COMPANY		8. FARM OR LEASE NAME Fed TBA	
3. ADDRESS OF OPERATOR Box 220, Hobbs, New Mexico		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1650' FSL and 1650' FWL of Section 15-21S-23E		10. FIELD AND POOL, OR WILDCAT Undesignated Indian	
14. PERMIT NO.		11. SEC., T., R., M., OR B.L. AND SURVEY OR AREA 15-21S-23E	
15. ELEVATIONS (Show whether DF, RT, GR, etc.)		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>	WATER SHUT-OFF	<input checked="" type="checkbox"/>
		FRACTURE TREATMENT	<input type="checkbox"/>
		SHOOTING OR ACIDIZING	<input type="checkbox"/>
		(Other)	<input type="checkbox"/>
		REPAIRING WELL	<input type="checkbox"/>
		ALTERING CASING	<input type="checkbox"/>
		ABANDONMENT*	<input type="checkbox"/>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Drilled to 7770' and ran 236 joints 9 5/8" casing diff. collar & guide shoe to 7768'. Cemented by Halliburton with 845 sacks Trinity Lite Water, with 12# gilsonite per sack, followed with 200 sacks Incor, with 11# salt per sack. Cement circulated. W.O.C. 48 hours. Tested casing with 1500# for 30 minutes; held O. K.

RECEIVED

AUG 17 1965

O. C. C.
ARTESIA, OFFICE

RECEIVED
AUG 16 1965
U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED John R. Butler TITLE Area Engineer

DATE 8-12-65

(This space for Federal or State office use)

APPROVED
CONDITIONS OF APPROVAL

TITLE _____ DATE _____

AUG 16 1965
RUDOLPH C. BAUER, JR.
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side