

# SOUTHWESTERN LABORATORIES

FORT WORTH DALLAS HOUSTON MIDLAND BEAUMONT TEXARKANA

CONSULTING ANALYTICAL CHEMISTS  
AND TESTING ENGINEERS

Midland, Texas 7-20-65 File No. C-1902-1(gd)

Report of tests on Gas Distillate

To Standard Oil Company of Texas

Date Rec'd. 7-19-65

Received from West Texas Engineering Service, Incorporated

Identification Marks Eddy County, N.M., Bogle Flats Unit #3, Cisco formation

## A.S.T.M. DISTILLATION

<u>Percent distilled</u>	<u>Temp. ° F</u>
I.B.P. -----	116
10 -----	186
20 -----	211
30 -----	230
40 -----	251
50 -----	271
60 -----	294
70 -----	325
80 -----	370
90 -----	434
95 -----	482
	510 End Point
Percent Recovery -----	98.0
Percent Residue -----	0.5
Percent Loss -----	1.5
Gravity ----	57.0° A.P.I. @ 60° F

Copies: 19cc Standard Oil Co. of Texas  
1cc W.T.E.S., Inc.

SOUTHWESTERN LABORATORIES

Lab. No. C-6590

*Jack H. Barton*

Our letters and reports are for the exclusive use of the clients to whom they are addressed. The use of our names must receive our prior written approval. Our letters and reports apply only to the samples tested and are not necessarily indicative of the qualities of identical or similar products.

OIL CONSERVATION COMMISSION		
ARTESIA DISTRICT OFFICE		
No. Copies Received <u>6</u>		
DISTRIBUTION		
	NO. FURNISHED	
OPERATOR	<u>3</u>	
SANTA FE	<u>1</u>	
PRORATION OFFICE		
STATE LAND OFFICE		
U. S. G. S.		
TRANSPORTER		
FILE	<u>1 -</u>	
BUREAU OF MINES		
Gen Corresp. <u>1</u>		