

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

ORYX ENERGY COMPANY ✓

3. Address and Telephone No.

P.O. BOX 2880 DALLAS, TX 75221-2880 (214) 715-3242

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5-22S-23E

1650' FNL & 1650' FEL

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

LC-068721

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No. 8

BOGLE FLATS UNIT

9. API Well No.

30-105-10720

10. Field and Pool, or Exploratory Area

INDIAN BASIN

11. County or Parish, State

EDDY

NEW MEXICO

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

ISOLATE WATER ZONE, REPERF, AND STIMULATE.

SEE ATTACHED PROCEDURE

RECEIVED

OIL CON. DIV.

RECEIVED
FEB 27 11 13 AM '96

14. I hereby certify that the foregoing is true and correct

Signed Daniele Burr DANIELE BURRIS

Title PRORATION ANALYST

Date 02/26/96

(This space for Federal or State office use)

Approved by (ORIG. SEC.) JOE G. LARA
Conditions of approval, if any:

Title PETROLEUM ENGINEER

Date 3/5/96

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

DATE: February 26, 1996
WELL NAME: BOGLE FLATS #8
FIELD: INDIAN BASIN
LOCATION: EDDY COUNTY, NEW MEXICO

DATA

Permanent Zero Point: 11' AGL
PBTD: 7169' (TOP OF FILL, TAGGED 1/95)
Casing Size, Weight, Depth: 4-1/2", 9.5#, J-55 @ 7500'
Retainer: NONE
Packer Type & Depth: 4-1/2" BKR MOD 'D' @ 6900'
Tubing Size, Weight, Type, Depth: 2-7/8", 6.5#, J-55 @ 6900'
TOC: 5633' (TS)
Log: GR/NEUTRON
Perfs (Formation & Depth)..... UPPER PENN 6951-61', 6978-81, 6984-89, 6996-7001, 7018-26, 7036-45, 7057-97, 7114-20, 7126-38, 7153-62, 7177-81, 7187-204'.

PROCEDURE

1. MIRU HALLIBURTON COILED TUBING, NITROGEN AND GEL TEC. PRESSURE TEST LINES TO 5000 PSI.
2. PUMP POLYMER TREATMENT PER ATTACHED GEL. TEC/MARATHON TECHNOLOGY RECOMMENDATION. PUMP AT 1-2 BPM DOWN COILED TUBING. INJECT NITROGEN DOWN 2-7/8" X 1" ANNULUS @ +/- 400 SCFPM. RD GEL-TEC.
3. DISPLACE POLYMER WITH NITROGEN TO OVERDISPLACE POLYMER AWAY FROM WELLBORE. RD HALLIBURTON.
4. SI WELL FOR 3 DAYS. POP.

WELL

FIELD

BOGIE FLATS UNIT #8

INDIAN BASIN FIELD

September 15, 1992

☒ PRESENT COMPLETION

SUGGESTED COMPLETION

DATA ON THIS COMPLETION

PERMANENT WELL CORE DATA

Z₂₂₀ = KB = 13.9' AGL

17 1/2" 4 1/2"

13 3/4" 4 1/2" J-55 @ 2221'
w/ 300 SXS CIRC

12 1/4" 4 1/2"

8 5/8" 2 1/2" J-55 @ 2000'
w/ 1375 SXS - CIRC

7 7/8" 1 1/2"

TDC = 5633 (TS)

4 1/2" 9.5" J-55 @

7500' w/ 350 SXS

TD = P3TD = 7500'

2 7/8" 6.5" J-55 @ 6900'
w/ Turned Downed
Collars CD = 3.460"Locator Seal Assy (1.312
I.D.)

4 1/2" 2XR MCD 'D' @ 6900'

UPPER PEN (6951-61,
6972-81, 6984-89, 6996-70
7012-26, 7036-45, 7057-97
7114-120, 7126-39, 7153-62
7177-81, 7187-7208)
@ 2 SPS, w/ 13 1/8" D_{max} ID
(13.5 gm)