ee attachment fo	inters <sub>Tite</sub> Gang Pusher	Date 2/4/92
ee attachment fo	or procedure	
or Completed Operations (Clearly state ce locations and measured and true ver	Test all pertinent details, and give pertinent dates, including estimated date	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form )
inal Abandonment Notice	Casing Repair Altering Casing Other Mechanical Int	Water Shut-Off Conversion to Injection egrity Dispose Water
ubsequent Report	Recompletion Plugging Back	New Construction
otice of Intent	Abandonment	Change of Plans
OF SUBMISSION	TYPE OF AC	
CK APPROPRIATE BOX		Eddy County, NM
1470' FWL and 1	230' FSL; Sec 33-T21S-R24E	11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		Indian Basin Upper Pe
P.O. Box 1324 Artesia, NM 88210 (505)457-2621		30014107670000 10. Field and Pool, or Exploratory Area
Marathon Oil Company V		9. API Well No.
2. Name of Operator		8. Well Name and No. Indian Hills Unit #5
SUBMI	7. If Unit or CA, Agreement Designation	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals and the proposals and the proposals and the proposal of the		6. If Indian, Allottee or Tribe Name
	LAND MANAGEMENT	Expires: March 31, 1993 5. Lease Designation and Serial No. NM-07260
		FORM APPROVED Budget Bureau No. 1004-0135
	DEPARTME BUREAU OF SUNDRY NOTICES is form for proposals to or Use "APPLICATION FO SUBMI Gas Well X Other Tempora n Oil Company hone No. x 1324 Artesia, Footage, Scc., T., R., M., or Survey 1470' FWL, and 1 CK APPROPRIATE BOX OF SUBMISSION Duce of Intent ibsequent Report nal Abandonment Notice	Use "APPLICATION FOR PERMIT—" for such proposets a first a fir

· · ·

## MECHANICAL INTEGRITY TEST PROCEDURE Indian Hills Unit No. 5 Eddy County, New Mexico

DATE: February 17, 1992 PURPOSE: Run mechanical integrity test. (MIT) ELEVATION: 4089' GL, 4107' KB. TD: 7738' SURFACE CASING: 13 3/8" set @ 308'. INTERMEDIATE CASING: 8 5/8" set @ 2525'. PRODUCTION CASING: 5 1/2" set @ 7716'. TUBING: 2 3/8" 4.7# J55 set @ 7706'. PACKER: 5 1/2" TIW set @ 7504'. SAFETY PRECAUTION: Monitor H<sub>2</sub>S at the wellhead while running test.

- 1. Notify BLM representative, Duncan Whitlock, 48 hours prior to running MIT. (BLM telephone number (505) 887-6544)
- 2. RU Service Company.
- 3. Test line and valves to 500 psig.
- 4. Install pressure gauges with pen records on casing annulus.
- 5. Fill tubing-casing annulus with 2% KCl water and pressure test to 500 psig.
- 6. Monitor pressure for 15 minutes.
- 7. RD Service Company.
- 8. Send pressure chart to Midland Production office.

TLW/all

• • <u>, .</u>\*