

CIRCUIT LOGICAL REPORT
BIG EDDY UN 33

DATE: 10/17/84

09-22-84 (CONT)

FORMATION HAD 22000 PRESS. BREAK. FINISH TREATMENT @ 3.4 BPH & 37000#. (STOP 29000#, 5' STOP 29000# & 10' STOP 29000#. LACK 1 1/4 BLW. DURING TRTMT HAD SLIGHT TBG LEAK ABOVE 5000 PSIG RELEASED PKR & RD WITH 170 BBLs 2% KOL WATER. RESET PKR @ 9762'. NO CH. FL @ SURFACE. SWAB 6 HRS, OFF 34 BLW. FL @ 2800'. HAD 15400 OIL & GAS. LACK 50 BLW. SDFN. THIS A.M. ST 4-1/2 HRS, SITP 190 PSTG. SICP @ - PKR.

09-23-84

PRD 11,365', BONE SPRINGS PERFS 9897'-9920'. RAN SWAB, FL AT 5400'. SWAB 8 HRS, REC 3 RD & 9 BLW. FL 9500'. LAST 3 HRS, NO FLUID RECOVERY. TQW.

09-24-84

PRD 11,365', BONE SPRINGS PERFS 9897'-9920'. SDFN. THIS A.M. ST 8 HRS, SITP 375 PSTG. SICP @ - PKR.

09-25-84

PRD 11,365' BONE SPRINGS PERFS 9897'-9920'. BLEED OFF PRESSURE IN 20'. RAN SWAB FL @ 5300'. SWAB 3 HRS, REC 4 RD & 13 BLW. SPOT 2000 GALS 15% DS-39 ACID & 190 LB TO POT. TBG LOADED W/42 BLS AND CH - TREATED LACIE. REL. PKR & RD ACTD W/239 BLS 2% KOL WATER FOR W/49 STABBY TIG. SDFN.

09-26-84

PRD 11,365' BONE SPRINGS PERFS 9897'-9920'. FOR W/TBG. LD MODEL 'B' PKR. FOUND 1 JT OF TUBING COLLAPSED 20 JTS OFF BOTTOM. RIN W/BAKER LUX-50T FOR W/FLICK JT ON TOP W/4.87" TYPE 'M' PH WITH ON-CEP FL SKIRT ON SLICK JT ON TBG. SET PKR @ 9788'. PRESS. 216 TO 2,404 - OK. REL. FL SKIRT & SPOTTED 2000 GALS 15% DS-39 ACID & 190 LB TO 9900'. LATCHED ONTO SLICK JT W/FL SKIRT. PUMPED INTO FORM @ 1 1/2 BPH & 3500 PSIG. RD BREAK W/42 RD ON HIGH. TREATED AT 3-1/2 BPH & 35000#. INCR. RATE TO 4 BPH & 35000#. HAD GOOD BALL ACTION. DRTD 10' & 100' 5' BLS ACID & 190 LB. SURF BLS. FINISH TREATMENT @ 3.4 BPH & 35000#. (STOP 29000#, 5' STOP 29000#, 10' STOP 29000#. RAN SWAB, FL 28000#, AP 23000# @ 14 1/4 BLW. J.C. AT 3 P.M. 9-25-84 - REL. FL SKIRT & RD WITH 10 BLS 2% KOL WATER. LATCHED ONTO SLICK JT W/FL SKIRT. FL @ SURFACE. SWAB 3-1/2 HRS, REC. 37 BLW. FL AT 6400'. LACK 94 BLW. SDFN. THIS A.M. ST 12-1/2 HRS. SITP 225#, SICP @ - PKR.

09-27-84

PRD 11,365' BONE SPRINGS PERFS 9897'-9920'. BLEED OFF PRESSURE IN 1/4 HR. RAN SWAB FL @ 5300'. 10T RUN REC 4 RD. SWAB 9 HRS, REC 5 RD & 36 BLW. PRESS. TBG DRY. LAST 3 HRS, NO FLUID RECOVERY. LACK 21 BLW. SDFN. THIS A.M. ST 14 HRS, SITP 1904, SICP @ - PKR.

09-28-84

PRD 11,365' BONE SPRINGS PERFS 9897'-9920'. BLEED OFF PRESSURE IN 1/4 HR. RAN SWAB, FL 8700'. MADE 2 RUNS. REC 6 RD. LOADED TBG.

ILLEGIBLE