

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

dfp

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

FEB 11 1991

O. C. D.  
ARTESIA OFFICE

WELL API NO.  
30-015-20371-20383

5. Indicate Type of Lease  
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
K-32681

7. Lease Name or Unit Agreement Name

Catclaw Draw

8. Well No. 1Y

9. Pool name or Wildcat  
Catclaw Draw Morrow

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator  
Hallwood Petroleum, Inc. ✓

3. Address of Operator  
P. O. Box 378111, Denver, CO 80237

4. Well Location  
Unit Letter F : 1986 Feet From The North Line and 2310 Feet From The West Line  
Section 26 Township 21S Range 25E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:  
REMEDIAL WORK ☒ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Hallwood Petroleum performed remedial work on the Catclaw Draw 1Y to remove plugged tubing as follows:

1. RUSU, ND tree and NU BOP's.
2. Blow down tbg, equalize tbg & csg, release pkr at 10,109'. TOH w/132 stds 2-3/8" N-80 tbg. Note: LD 2 jts of plugged tbg.
3. Finish TOH, PU new Baker 4-1/2" Loc-Set pkr and on-off tool and 1.78" F-nipple and start TIH w/2-3/8" tbg.
4. TIH w/2-3/8" N-80 tbg and pkr to 10,109', set pkr w/10 points compression.
5. Swab back load wtr and place well on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Holly S. Richardson TITLE Sr. Ops. Eng. Tech. DATE 2-5-91  
TYPE OR PRINT NAME Holly S. Richardson (303) 850-6322 TELEPHONE NO.

(This space for State Use)

ORIGINAL SIGNED BY  
MIKE WILLIAMS  
SUPERVISOR DISTRICT I

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY

FEB 20 1991