## OIL CONSER ION COMMISSION P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

RECEIVED

SEP 1 1 1972

September 8, 1972

D. C. C.

Henry Engineering 807 First National Bank Bldg. Midland, Texas 79701

Attention: Mr. James B. Henry

Administrative Order NSL-574

#### Gentlemen:

Reference is made to your application for approval of an unorthodox gas well location for the David Fasken Avalon State Well No. 1, an undesignated Morrow test well to be drilled 1400 feet from the South line and 1650 feet from the West line of Section 7, Township 21 South, Range 26 East, NMPM, Eddy County, New Mexico. It is our understanding that the S/2 of said Section 7 is to be dedicated to the well.

By authority granted me under the provisions of Rule 104 of the Commission Rules and Regulations, the abovedescribed unorthodox location is hereby approved.

Very truly yours,

A. L. PORTER, Jr. Secretary-Director

ALP/DSN/dr

cc: Oil Conservation Commission - Artesia Oil & Gas Engineering Committee - Hobbs State Land Office - Santa Fe

# RECEIVED

NO. OF COPIES RECEIVED				z	SEP 11 30-01:	5-20743
SANTA FE			RVATION COMMISSIO	N <b>A</b> ,	STATE .S. State Oil 6	Type of Lease
APPLICATIO	N FOR PERMIT TO	DRILL, DEEPEN,		васк	7. Unit Agree	
OIL GAS WELL Gerator David Fasken	0.'H£R		SINGLE NOT	ZONE		on-State
3. Address of Operator 608 First Nat 4. Location of Well	ional Bank Bl					Pool, or Wildcat
AND 1400 FEET FROM	THE South	E OF SEC. <b>7</b> T	x=. 21-5	6-E NMPM	12. County	
			P. Proyosed Depti.	19A. Formatio	Eddy	20. Rotary or C.T.
21. Elevitions (Show whether DF) 3305 G 23.	. Д. В	lanket	10,900'	Mor: g. Co.	22. Approx.	Rotary Date Work will start 1-2, 1972
SIZE OF HOLE	SIZE OF CASING	ROPOSED CASING AND	SETTING DEPTH	SACKS O	FCEMENT	EST. TOP
<u>17-1/2"</u> <u>12-1/4"</u> 8-3/4"	13-3/8" 9-5/8" 4-1/2"	48# H-40 40# J-55 Various	350' 2300' 10900'	1000		incor) Circ. Incor) Circ. 8500'
with 30	/ 7-1/2" hole t 0 sacks (circ	ulating ceme	ent). I fresh water			
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \end{array} \\ \\ \end{array} \\ \\ \end{array} \\ \\ \begin{array}{c} \end{array} \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \begin{array}{c} \end{array} \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \\$	with 1000 sx. -3/4" hole to water, from 9 tem test all cement 4-1/2 ks. If multi ify cementing te casing opp	(circulatin 8000' with 600' to T.D. shows of oil " casing thr ple completi program as	fresh water, with salt w or gas and cough Morrow on indicated necessary.	ater mu log ope pay zon	ud. en hole nes and	9600' with section
Cement 3. Drill 8 2% KCl 4. Drill s 5. Set and 450 sacl and mod 6. Perfora B.O.P 10" B.O.P. and cho IN ABOVE SPACE DESCRIBE PERFORMENT IN ABOVE SPACE DESCRIBE PERFORMENT B.O.P. AND CHOST PREVENT	with 1000 sx. -3/4" hole to water, from 9 tem test all cement 4-1/2 ks. If multi ify cementing te casing opp 3000 psi on h oke manifold	(circulatin 8000' with 600' to T.D. shows of oil " casing thr ple completi program as posite pay zo tead from 230 to 3000# bef	fresh water, with salt w or gas and cough Morrow on indicated necessary. ones. 0' to total fore drilling	ater mu log op pay zon , run depth out f:	ud. en hole nes and 5-1/2" p fol pRi (test ca rom und	9600' with section cementAWith PROMAYSANTES 90 DAYSANTES 90 DAYSANTES
Cement 3. Drill 8 2% KCl 4. Drill s 5. Set and 450 sacl and mod 6. Perfora B.O.P 10" B.O.P. and cho IN ABOVE SPACE DESCRIBE PETIVE ZONE. GIVE BLOYOUT PREVENT I hereby certify that the information	with 1000 sx. -3/4" hole to water, from 9 tem test all cement 4-1/2 ks. If multi ify cementing te casing opp 3000 psi on h oke manifold ROPOSED PROGRAM: IF F TER PROGRAM, IF ANY. on above is true and comp . L. Parks	(circulatin 8000' with 600' to T.D. shows of oil " casing thr ple completi program as posite pay zo head from 230 to 3000# bef PROPOSAL IS TO DEEPEN O plete to the best of my kr TitleAg	fresh water, with salt w or gas and cough Morrow on indicated necessary. ones. 0' to total fore drilling	ater mu log op pay zon , run depth out f:	ud. en hole nes and 5-1/2" p fol pRi (test ca rom und	9600' with section cement Adits PROMAYS AS AD 90 DAYS AS A



		lan Maria (Maria) (Maria) (Maria) (Maria) Isang maria (Maria) (Maria) (Maria) (Maria)	∙ LAT ¦j
DAVID FASKEN	Ale of the original designs and the second sec	AVALON STATE	***.** <b>1</b>
"K" 7	21 South	26 Erst	Edru
1400	South	1650	West
3305	Morrow	Undesignated	320
and the second sec	e and to the safe of a	ter i storio e control bor bas har	e marks on the plat beau.
an an san san san san Tang san tan	an Seide ab Una Sei we	and the second strain to the	winership thereof the decision of the co-
	Full Herrison and the second second	e a construction a servici de densa cifer a construction	conterests of all owners acco
<b>x</b>	E gan an a		ate leases with common g interests.
		e i servici e constanta h	
	and the transmission	era asolid.	ated (by community according sts, has been approved by the c
			Liberebi rechts that fi tained hereich i fait fait fait best of mylanic ledge of book S. L. Parks Agent David Fasken 5 September 8, 1972
			E hereby i.e. to only shown by these concerns mates of extra- under my supervise is true and concerns knowledge and by st September 1972 September 1972 HERSCHEL JONES

.....

### HENRY ENGINEERING

Petroleum Engineers 807 FIRST NATIONAL BANK BUILDING MIDLAND, TEXAS 79701

September 11, 1972

### RECEIVED

SEP 1 197?

D. C. C.

New Mexico Oil Conservation Commission P. O. Drawer "DD" Artesia, New Mexico 88210

Attn: Mr. W. A. Gressett, Oil & Gas Inspector

> Re: David Fasken Avalon-State No. 1 Eddy Co., New Mexico

Gentlemen:

Attached are copies of amended Form C-102, well location and acreage dedication plat, for subject well operated by our client, David Fasken. Please attach it to the Application To Drill previously furnished.

Please call this office if you need any further information.

Sincerely. HENRY/ENGINEERING L. Parks

SLP:bi Encl.