

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0558014 ~~8 NM-028788~~

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Meadco Properties, Ltd.		8. FARM OR LEASE NAME Harris-Bell	
3. ADDRESS OF OPERATOR 407 West Wall St., Midland, Texas 79701		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FNL, 1980' FNL, Section 5, T-21-S, R-29-E, Eddy County, New Mexico		10. FIELD AND POOL, OR WILDCAT Golden Lane Field	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 5, T-21-S, R-29-E	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3459.0 GR		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

Running 13-3/8" casing

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spudded in 17-1/2" hole 12/13/72.

Drilled 17-1/2" hole to 632'. Ran 13-3/8" 48-70# OD casing to 632'. Cemented with 500 sacks Halliburton Light with 5# gilsonite, 1/4# Flocele and 2% calcium chloride per sack. Followed by 150 sacks Class C cement with 1/4# Flocele and 2% calcium chloride per sack. Circulated 40 sacks. Plug down WOC 10:45 a.m. 12/14/72.

WOC 24 hours.

Tested casing with 1,000# for 30 min. - Tested okay.

Started drilling ahead in 12-1/4" hole.

RECEIVED

DEC 19 1972

U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

B. J. C. [Signature]

TITLE Owner

DATE 12/18/72

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED  
DEC 20 1972  
H. L. BEEKMAN  
ACTING DISTRICT ENGINEER

\*See Instructions on Reverse Side