

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Indian Hills9. WELL NO.
210. FIELD AND POOL, OR WILDCAT
Wildcat11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 25, T21S, R24E

12. COUNTY OR PARISH
Eddy13. STATE
New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

APR 24 1973

1. OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

CORINNE GRACE

3. ADDRESS OF OPERATOR

P. O. BOX 1418, CARLSBAD, NEW MEXICO 88220 O.C.C.

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface 2110 Feet from South line and 1980 feet from West line
Section 25, T21S, R24E.. Eddy County, New Mexico

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3649.4 Gr.

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Due to the unavailability of a large rotary rig, it is necessary to change the subject well from a 10,000' Morrow test to a 3500' Glorieta Test, which will be drilled with cable tools.

Now propose to drill 15 1/2 inch hole to approximately 350 feet, run 13 3/8" casing and cement with 400 sacks. Continue drilling 12 1/4 inch hole to approximately 2500 feet where 9 5/8" casing will be cemented with 1,000 sacks, then drill 8 3/4" hole to TD of approximately 3500 feet to test the Glorieta formation. Since this is an oil test only 40 acres is being dedicated, therefore an amended dedication plat is attached.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Agent

DATE

4/23/73

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED
APR 24 1973
R. L. BEEKMAN
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

RECEIVED

APR 23 1973

U. S. GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO