

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN
(Other inst
verse side)PLICATE*
ons on re-Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0311499

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

MONSANTO COMPANY ✓

3. ADDRESS OF OPERATOR

101 North Marienfeld, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FNL & 1980' FEL Section 34

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

Gr. Level Elev. 3210'

7. UNIT AGREEMENT NAME

Burton Flat Deep Unit

8. FARM OR LEASE NAME

Burton Flat Unit

9. WELL NO.

6

10. FIELD AND POOL, OR WILDCAT

Burton Flat - Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 34, T-20S, R-28E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 12½" hole to 2950' and set 9 5/8" 36# K-55 ST&C Casing at 2950';
Cemented w/ 1650 Sx. Halliburton Lt Wt., 5# Gilsonite/Sx., ¼# Flocele/Sx.,
2% CaCl plus 150 Sx. Class "C", ¼# Flocele/Sx., 2% CaCl.
Plug down 12:30 AM 9/1/73;
Cement did not circulate; Top of Cement by Temp. Survey 1140';
Pumped 600 Sx. Cement thru 1" into annulus in 10 stages; cement circulated;
WOC 24 Hrs. & tested w/ 1200 psi for 30 Mins.; Held OK.

RECEIVED
SEP-7 1973
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

D. W. Wood

TITLE

Dist. Prod. Manager

DATE 9/6/73

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

APPROVED
SEP 7-1973
H. L. BECKMAN
ACTING DISTRICT ENGINEER